

APACHE

ONE-STOP OEM/ODM SOLUTION PROVIDER

MAKING INFINITY

A BRAND OF
UGOTECK

ABOUT UGOTECK

From Product Concept to Global Market.

Shenzhen UGOTECK Co., Ltd. is a global R&D and manufacturing company specializing in mobile accessories and consumer electronics, headquartered in Shenzhen, China, with over a decade of industry experience.

We specialize in power banks, wireless chargers, power adapters, car chargers, USB cables, and audio products, while continuously expanding into smart lifestyle electronics.

With our own manufacturing bases in Guangxi and Dongguan, strong R&D and engineering capabilities, and an integrated supply chain, UGOTECK provides flexible ODM/OEM solutions for global brands, retailers, distributors, and channel partners.

From product planning, R&D, and manufacturing to packaging and delivery, we provide end-to-end support for reliable, competitive, and market-ready products.

Our BDM (Brand Development Manufacturing) model integrates product development, manufacturing, packaging, and brand support from concept to market.

Core Products & Solutions

- Portable Power
- Wireless Charging
- Charging Solutions
- Connectivity
- Audio Products

Why Choose UGOTECK

- ✓ Own Manufacturing Facilities
- ✓ Strong R&D & Engineering Capabilities
- ✓ Integrated Supply Chain
- ✓ Professional ODM/OEM Solutions
- ✓ Stable Mass Production & Quality Control
- ✓ Global Market & Export Experience

UGOTECK — From Product Concept to Global Market.



GLOBAL PARTNERS

Connecting. Creating. Growing.

We work closely with brands, retailers and distribution partners across global markets, providing tailored product solutions and building long-term partnerships.

NETWORK DIRECT

Trusted by Global Brands. Proven in Markets.

Our partner network spans diverse brands and markets worldwide, from consumer electronics to lifestyle and retail. Together, we focus on product quality, innovation, and long-term partnerships that drive mutual growth.

Mint
POWER

VAP.

STAR
RIVERSONG

æææ

DOXX

MUSTHAVZ

PUBLIK

BDZ
Bitkoinz

OMMI

QFX

Lotta POWER

EMPEREUR PARIS

A large, bold, red letter 'O'.

DIRECT FACTORY

Products sourced directly from our authorized manufacturing base.

A large, bold, yellow letter 'Q'.

QUALITY ASSURANCE

Quality guaranteed via systematic standards & process control.

A large, bold, purple letter 'S'.

SERVICE & RELIABILITY

Professional support and consistent performance that long-term trust.

A large, abstract background image featuring a dense pattern of small, glowing green and blue dots that form a wavy, undulating shape across the center of the page.

STRENGTH & ADVANTAGE

A large, bold, blue letter 'R'.

READY PRODUCTS

Designed to reflect current market trends and consumer needs.

A large, bold, green letter 'B'.

BRAND SUPPORT

Helping customers build consistent product quality and brand value.

A large, bold, pink letter 'A'.

NE-STOP SOLUTION

From product development to logistics and POS activities, we provide full support.



POWER BANK



POWER ADAPTER



CAR CHARGER



WIRELESS CHARGER



CABLE



AUDIO



HOLDER & STAND



LIFESTYLE GADGET

APACHE

POWER BANK



CLASSIC FAST CHARGE



**BUILT-IN CABLE
FAST CHARGE**



**ULTRA COMPACT
FAST CHARGE**



**MAGSAFE WIRELESS
CHARGE**



HIGH POWER FAST CHARGE



PD 20W FAST CHARGE

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ DUAL OUTPUT
- ◆ DIGITAL BATTERY DISPLAY
- ◆ MULTI-CAPACITY OPTIONS

SPECIFICATION

Model No.: APBS001/APBS002

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=2.4A 9V=2.22A 10V=2.25A 12V=1.67A

USB-A Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.5A

Size: 142*68.5*18mm/142*68.5*30mm

Color: Black,White



PD 20W FAST CHARGE

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ DUAL OUTPUT
- ◆ DIGITAL BATTERY DISPLAY
- ◆ MULTI-CAPACITY OPTIONS

SPECIFICATION

Model No.: APBS003

Capacity: 30000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=2.4A 9V=2.22A 10V=2.25A 12V=1.67A

USB-A Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.5A

Size: 142*68.5*42mm

Color: Black,White



PD 20W FAST CHARGE

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ DUAL USB OUTPUTS
- ◆ LED POWER INDICATOR
- ◆ MULTI-CAPACITY OPTIONS

SPECIFICATION

Model No.: APBS004/APBS005

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=2.4A 9V=2.22A 10V=2.25A 12V=1.67A

USB-A Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.5A

Size: 142*68.5*18mm/142*68.5*30mm

Color: Black,White



PD 20W FAST CHARGE

MAIN FEATURE

- ◆ 30000MAH HIGH CAPACITY
- ◆ PD 20W FAST CHARGE
- ◆ DUAL USB OUTPUTS
- ◆ LED POWER INDICATOR

SPECIFICATION

Model No.: APBS006

Capacity: 30000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=2.4A 9V=2.22A 10V=2.25A 12V=1.67A

USB-A Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.5A

Size: 142*68.5*42mm

Color: Black,White



PD 20W FAST CHARGE

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ TRIPLE USB OUTPUTS
- ◆ MULTI-CAPACITY CHOICES
- ◆ LED POWER INDICATOR

SPECIFICATION

Model No.: APBS007/APBS008

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-A Input: 5V=2A 9V=2A 12V=1.5A

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

USB-A1/A2 Output: 10V=2.25A 5V=3A 9V=2A 12V=1.5A



PD 20W FAST CHARGE

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ TRIPLE USB OUTPUTS
- ◆ MULTI-CAPACITY CHOICES
- ◆ LED POWER INDICATOR

SPECIFICATION

Model No.: APBS009

Capacity: 30000mAh

Material: ABS+PC

USB-A Input: 5V=2A 9V=2A 12V=1.5A

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

USB-A1/A2 Output: 10V=2.25A 5V=3A 9V=2A 12V=1.5A



PD 20W FAST CHARGE

MAIN FEATURE

- ◆ METAL OIL-FINISH CASING
- ◆ PD 20W FAST CHARGE
- ◆ MULTI-CAPACITY OPTIONS
- ◆ DIGITAL DISPLAY + DUAL OUTPUTS

SPECIFICATION

Model No.: APBS010/APBS011

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

USB Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Size: 149.5*67.4*16.3mm/150*68*28mm

Color: Black, Space Grey



PD 20W FAST CHARGE

MAIN FEATURE

- ◆ METAL OIL-FINISH CASING
- ◆ PD 20W FAST CHARGE
- ◆ MULTI-CAPACITY OPTIONS
- ◆ DIGITAL DISPLAY + DUAL OUTPUTS

SPECIFICATION

Model No.: APBS012

Capacity: 30000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

USB Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Size: 150*68*40.3mm

Color: Black, Space Grey



PD 20W FAST CHARGE
USB-C&LIGHTNING CABLES

MAIN FEATURE

- ◆ BUILT-IN USB-C & LIGHTNING CABLES
- ◆ PD 20W FAST CHARGE
- ◆ SLEEK METAL OIL-FINISH BODY
- ◆ DIGITAL DISPLAY + MULTI-CAPACITY OPTIONS

SPECIFICATION

Model No.: APBS001/APBS002

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

USB-C Cable Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Lightning Cable Output: 5V=2.1A

USB Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Size: 149.5*67.4*17mm/150*68*29.5mm

Color: Black, White



PD 20W FAST CHARGE
USB-C&LIGHTNING CABLES

MAIN FEATURE

- ◆ BUILT-IN USB-C & LIGHTNING CABLES
- ◆ PD 20W FAST CHARGE
- ◆ SLEEK METAL OIL-FINISH BODY
- ◆ DIGITAL DISPLAY + MULTI-CAPACITY OPTIONS

SPECIFICATION

Model No.: APBS003

Capacity: 30000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

USB-C Cable Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Lightning Cable Output: 5V=2.1A

USB Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Size: 150*68*41.6mm

Color: Black, White



PD 20W FAST CHARGE
USB-C&LIGHTNING CABLES

MAIN FEATURE

- ◆ BUILT-IN USB-C& LIGHTNING CABLES
- ◆ PD 20W FAST CHARGE
- ◆ DIGITAL POWER DISPLAY
- ◆ MULTI-CAPACITY OPTIONS

SPECIFICATION

Model No.: APBS004/APBS005

Capacity: 10000mAh/20000mAh

Material: ABS+PC

Rated Energy: 37Wh (3.7V)/74Wh (3.7V)

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

USB-C Cable/USB-A Output: 5V=3A 9V=2A 10V=2.25A

12V=1.5A (22.5W Max)

Lightning Cable Output: 5V=2.4A

Total Output: 5V=3A (USB-A+USB-C+USB-C Cable+Lightning Cable)



PD 20W FAST CHARGE
USB-C&LIGHTNING CABLES

MAIN FEATURE

- ◆ BUILT-IN USB-C & LIGHTNING CABLES
- ◆ PD 20W FAST CHARGE
- ◆ DIGITAL POWER DISPLAY
- ◆ MULTI-CAPACITY OPTIONS

SPECIFICATION

Model No.: APBS006/APBS007

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

USB-C Output: 5V=2.4A 9V=2.22A 10V=2.25A 12V=1.67A

USB-A Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.5A

USB-C Cable Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Lightning Cable Output: 5V=2A

Size: 142*68.5*18mm/142*68.5*30mm

Color: Black,White



PD 20W FAST CHARGE
USB-C&LIGHTNING CABLES

MAIN FEATURE

- ◆ 30000MAH HIGH CAPACITY
- ◆ BUILT-IN USB-C & LIGHTNING CABLES
- ◆ PD 20W FAST CHARGE
- ◆ DIGITAL POWER DISPLAY

SPECIFICATION

Model No.: APBS008

Capacity: 30000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

USB-C Output: 5V=2.4A 9V=2.22A 10V=2.25A 12V=1.67A

USB-A Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.5A

USB-C Cable Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Lightning Cable Output: 5V=2A

Size: 142*68.5*42mm

Color: Black,White



PD 20W FAST CHARGE
USB-C&LIGHTNING CABLES

MAIN FEATURE

- ◆ BUILT-IN USB-C & LIGHTNING CABLES
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER INDICATOR
- ◆ MULTI-CAPACITY OPTIONS

SPECIFICATION

Model No.: APBS009/APBS010

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

USB-C Output: 5V=2.4A 9V=2.22A 10V=2.25A 12V=1.67A

USB-A Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.5A

USB-C Cable Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Lightning Cable Output: 5V=2A

Size: 142*68.5*18mm

Color: Black,White



PD 20W FAST CHARGE
USB-C&LIGHTNING CABLES

MAIN FEATURE

- ◆ 30000MAH HIGH CAPACITY
- ◆ BUILT-IN USB-C & LIGHTNING CABLES
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER INDICATOR

SPECIFICATION

Model No.: APBS011

Capacity: 30000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

USB-C Output: 5V=2.4A 9V=2.22A 10V=2.25A 12V=1.67A

USB-A Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.5A

USB-C Cable Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Lightning Cable Output: 5V=2A

Size: 142*68.5*42mm

Color: Black,White



PD 20W FAST CHARGE
USB-C&LIGHTNING CABLES

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ ULTRA COMPACT
- ◆ BUILT-IN USB-C & LIGHTNING CABLES
- ◆ LED POWER DISPLAY

SPECIFICATION

Model No.: APBS012

Capacity: 10000mAh

Material: ABS+PC

USB-A Output: 5V=3A 9V=2A 12V=1.5A 10V=2.25A

USB-C Output: 5V=3A 9V=2.2A 12V=1.65A

10V=2.25A(22.5W Max)

USB-C Input: 5V=3A 9V=2A 12V=1.65A 10V=2.25A(22.5W Max)

Lightning Output: 5V=2.4A (10W Max)

Size: 119*51*27mm

Color: Black,White



PD 20W FAST CHARGE
USB-C&LIGHTNING&USB-A

MAIN FEATURE

- ◆ BUILT-IN USB-C, LIGHTNING & USB-A CABLES
- ◆ PD 20W FAST CHARGE
- ◆ MULTI-CAPACITY OPTIONS
- ◆ LED POWER DISPLAY

SPECIFICATION

Model No.: APBS013/APBS014

Capacity: 10000mAh/20000mAh

USB-A Cable Input : 5V=2A 9V=2A 12V=1.5A

Type-C Input: 5V=2.5A 9V=2A 12V=1.5A

Type-C Output: 5V=3A 5V=2.4A 9V=2.22A 12V=1.67A

USB-A Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

USB-C Cable Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Lightning Cable Output: 5V=2.4A



MAIN FEATURE

- ◆ BUILT-IN RETRACTABLE USB-C CABLE
- ◆ PD 20W FAST CHARGE
- ◆ 10000MAH MINI CAPACITY
- ◆ DIGITAL POWER DISPLAY

SPECIFICATION

Model No.: APBS015

Capacity: 10000mAh

Material: ABS+PC

USB-C/USB-C Cable Input: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-C/USB-C Cable Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.67A
(PD20W/22.5W Max)

PD 20W FAST CHARGE
RETRACTABLE USB-C CABLE



PD 20W RETRACTABLE USB-C & LIGHTNING CABLE

MAIN FEATURE

- ◆ RETRACTABLE USB-C CABLE & LIGHTNING CONNECTOR
- ◆ PD 20W FAST CHARGE
- ◆ DIGITAL POWER DISPLAY
- ◆ MINI PORTABLE

SPECIFICATION

Model No.: APBS016

Capacity: 10000mAh

Material: ABS+PC

USB-C/USB-C Cable Input: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-C/USB-C Cable Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.67A
(PD20W/22.5W Max)

Lightning Cable Output: 5V=2.4A 9V=2.22A 12V=1.67A
(20W Max)



PD 20W FAST CHARGE
RETRACTABLE USB-C CABLE

MAIN FEATURE

- ◆ BUILT-IN RETRACTABLE USB-C CABLE
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER DISPLAY
- ◆ COMPACT & PORTABLE

SPECIFICATION

Model No.: APBS017

Capacity: 10000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.67A

USB-C Cable Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.67A

Size: 125*55*26mm

Color: Black, White, Blue



PD 20W FAST CHARGE
RETRACTABLE USB-C CABLE

MAIN FEATURE

- ◆ BUILT-IN RETRACTABLE USB-C CABLE
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER DISPLAY
- ◆ COMPACT & PORTABLE

SPECIFICATION

Model No.: APBS018

Capacity: 20000mAh

Material: ABS+PC

USB-C Input: 5V=3A 9V=2A 12V=1.5A

USB-C Cable Input :5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.67A

USB-C Cable Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.67A

USB Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Size:139*69.5*33mm

Color: Black,White,Blue



PD 20W FAST CHARGE
LANYARD USB-C TO USB-C

MAIN FEATURE

- ◆ BUILT-IN USB-C TO USB-C CABLE
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER DISPLAY
- ◆ MULTI-CAPACITY & COLOR OPTIONS

SPECIFICATION

Model No.: APBM01/APBS002

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-C Output: 5V=3A 9V=2.22A 12V=1.675A

10V=2.25A (22.5W Max)

USB-C Input: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-A Output: 5V=3A 9V=2A 12V=1.5A 10V=2.25A(22.5W Max)

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

10V=2.25A(22.5W Max)

Size: 73.2*60.5*26.5mm/100.7*67.5*34mm

Color: Silver, Gunmetal, Blue, Purple



PD 20W FAST CHARGE
LANYARD USB-C TO USB-C

MAIN FEATURE

- ◆ BUILT-IN USB-C TO USB-C CABLE
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER DISPLAY
- ◆ MULTI-CAPACITY & COLOR OPTIONS

SPECIFICATION

Model No.: APBS003/APBS004

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-C Output: 5V=3A 9V=2.22A 12V=1.675A

10V=2.25A (22.5W Max)

USB-C Input: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-A Output: 5V=3A 9V=2A 12V=1.5A 10V=2.25A(22.5W Max)

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

10V=2.25A(22.5W Max)

Size: 73.2*60.5*26.5mm/100.7*67.5*34mm

Color: Black,White,Blue,Purple



PD 20W FAST CHARGE
BUILT-IN USB-C & LIGHTNING

MAIN FEATURE

- ◆ BUILT-IN USB-C & LIGHTNING CABLES
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER DISPLAY
- ◆ MULTI-CAPACITY & COLOR OPTIONS

SPECIFICATION

Model No.: APBM005/APBM006

Capacity: 10000mAh/20000mAh

Material: ABS+PC

USB-C Output: 5V=3A 9V=2.22A 12V=1.675A

USB-C Input: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

10V=2.25A(18W Max)

Lightning Output: 5V=2.4A (10W Max)

Size: 72.3*55.7*29.6mm/98.6*64.7*32.4mm

Color: black,white



PD 20W FAST CHARGE
BUILT-IN USB-C & LIGHTNING

MAIN FEATURE

- ◆ BUILT-IN USB-C & LIGHTNING CABLES
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER DISPLAY
- ◆ MULTI-CAPACITY & COLOR OPTIONS

SPECIFICATION

Model No.: APBM007

Capacity: 10000mAh

Material: ABS+PC

Rated Energy: 37Wh (3.7V)

USB-C Input: 5V=3A 9V=2A 12V=1.5A 18W Max (USB-C)

USB-C Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.67A (22.5W Max)

USB-C Cable Output: 5V=3A 9V=2.22A 10V=2.25A

12V=1.67A (22.5W Max)

USB-A Output: 5V=3A 9V=2.22A 12V=1.67A (20W Max)

Lightning Cable Output: 5V=2.4A

Total Output: 5V=3A (USB-A+USB-C+USB-C Cable+Lightning Cable)



**PD 20W FAST CHARGE
LANYARD USB-C TO USB-C**

MAIN FEATURE

- ◆ BUILT-IN USB-C TO USB-C CABLE
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER DISPLAY
- ◆ COMPACT & PORTABLE

SPECIFICATION

Model No.: APBM008

Capacity: 10000mAh

Material: ABS+PC

USB-C Input: 5V=2.8A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

USB-A Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

Size: 97.5*41.1*31mm

Color: Black,White



PD 20W FAST CHARGE
LANYARD USB-C TO USB-C

MAIN FEATURE

- ◆ BUILT-IN USB-C TO USB-C CABLE
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER DISPLAY
- ◆ COMPACT & PORTABLE

SPECIFICATION

Model No.: APBM009

Capacity: 20000mAh

Material: ABS+PC

USB-C1 Input: 5V $\rightarrow$ 2.8A 9V $\rightarrow$ 2A 12V $\rightarrow$ 1.5A

USB-C2 Input: 5V $\rightarrow$ 2A 9V $\rightarrow$ 2A 12V $\rightarrow$ 1.5A

USB-C1 Output: 5V $\rightarrow$ 3A 9V $\rightarrow$ 2.22A 10V $\rightarrow$ 2.25A 12V $\rightarrow$ 1.67A

USB-C Output: 5V $\rightarrow$ 3A 9V $\rightarrow$ 2.22A 10V $\rightarrow$ 2.25A 12V $\rightarrow$ 1.67A

L-Lightning Output: 5V $\rightarrow$ 2.4A

USB-A Output: 5V $\rightarrow$ 3A 9V $\rightarrow$ 2A 10V $\rightarrow$ 2.25A 12V $\rightarrow$ 1.5A

Size: 108*37.3*59.7mm

Color: Black, White



PD 20W FAST CHARGE
LANYARD USB-C TO USB-C

MAIN FEATURE

- ◆ BUILT-IN USB-C TO USB-C CABLE
- ◆ PD 20W FAST CHARGE
- ◆ LED POWER DISPLAY
- ◆ COMPACT & PORTABLE

SPECIFICATION

Model No.: APBM010

Capacity: 10000mAh

USB-C1 Input: 5V=2.9A 9V=2A 12V=1.5A

USB-C2 Input: 5V=2A 9V=2A 12V=1.5A

USB-C1 Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.67A

MAIN FEATURE

- ◆ 15W MAGNETIC WIRELESS CHARGE
- ◆ PD 20W FAST CHARGE
- ◆ ULTRA SLIM PORTABLE DESIGN
- ◆ MAGNETIC & DUAL-MODE CHARGING

SPECIFICATION

Model No.: APBW001/APBW002

Capacity: 5000mAh/10000mAh

USB-C Input: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-C Output: 5V=3A 9V=2.22A 10V=2.25A 12V=1.66A
(PD20W/PD22.5W)

Wireless Output: 15W



15W WIRELESS CHARGE
PD 20W FAST CHARGE



MAIN FEATURE

- ◆ 15W MAGSAFE WIRELESS CHARGE
- ◆ PD 20W FAST CHARGE
- ◆ ULTRA SLIM FULL METAL FRAME
- ◆ 5000/10000MAH CAPACITY OPTIONS

SPECIFICATION

Model No.: APBW003/APBW004


Capacity: 5000mAh/10000mAh

USB-C Input: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A (20W Max)

Wireless Output: 15W Max

15W WIRELESS CHARGE
PD 20W FAST CHARGE



MAIN FEATURE

- ◆ 15W MAGSAFE WIRELESS CHARGE
- ◆ PD 20W FAST CHARGE
- ◆ ULTRA SLIM FULL METAL FRAME
- ◆ 5000/10000MAH CAPACITY OPTION

SPECIFICATION

Model No.: APBW005/APBW006

Capacity: 5000mAh/10000mAh

USB-C Input: 5V=3A 9V=2A

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A (20W Max)

Wireless Output: 5W/7.5W/10W/15W

15W WIRELESS CHARGE
PD 20W FAST CHARGE



15W WIRELESS CHARGE
PD 20W FAST CHARGE

MAIN FEATURE

- ◆ 15W MAGSAFE WIRELESS CHARGE
- ◆ PD 20W FAST CHARGE
- ◆ ULTRA SLIM FULL METAL CASING
- ◆ 5000/10000MAH CAPACITY OPTION

SPECIFICATION

Model No.: APBW007/APBW008

Capacity: 5000mAh/10000mAh

Material: Al Alloy

Rated Capacity: 3000mAh(5V=2A)

Rated Energy: 19.25Wh 3.85V

USB-C Input: 5V=3A 9V=2.22A 12V=1.67A (20W Max)

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A (20W Max)

Wireless Output: 5W/7.5W/10W/15W Max

Simultaneous Wired and Wireless Output: 15W Max



PD 45W FAST CHARGE
RETRACTABLE USB-C CABLE

MAIN FEATURE

- ◆ BUILT-IN & RETRACTABLE PD 45W USB-C CABLE
- ◆ 10000MAH MINI PORTABLE
- ◆ LED POWER DISPLAY
- ◆ HIGH-POWER MULTI-DEVICE COMPATIBILITY

SPECIFICATION

Model No.: APBH001

Battery Capacity: 10000mAh

Rated Capacity: 5800mAh(5V=3A)

Rated Energy: 38.5Wh

Material: ABS+PC

USB-C1/C2 Cable Input: 5V=3A 9V=3A 12V=2.25A

USB-C1/C2 Cable/C3 Cable Output: 5V=3A 9V=3A 10V=2.25A 12V=3A

15V=3A 20V=2.25A

Total Output: 5V=3A Max

Size:106*61*28mm



PD 65W FAST CHARGE RETRACTABLE USB-C CABLE

MAIN FEATURE

- ◆ BUILT-IN & RETRACTABLE PD 45W USB-C CABLE
- ◆ 20000MAH MINI PORTABLE
- ◆ LED POWER DISPLAY
- ◆ HIGH-POWER MULTI-DEVICE COMPATIBILITY

SPECIFICATION

Model No.: APBH002

Battery Capacity: 20000mAh

Rated Capacity: 12000mAh(5V=3A)

Rated Energy: 72Wh

Material: ABS+PC

USB-C1/C2 Cable Input: 5V=3A 9V=3A 12V=3A 15V=3A 20V=3.25A

USB-C1/C2 Cable Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=3.25A

USB-C3 Cable Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=2.25A

USB-A Output: 5V=3A 9V=2A 12V=1.5A 10V=2.25

Total Output: 5V=3A Max

Size: 126*62*32mm



**PD 65W FAST CHARGE
BUILT-IN USB-C CABLE**

MAIN FEATURE

- ◆ BUILT-IN PD 65W USB-C CABLE
- ◆ 20000MAH HIGH CAPACITY
- ◆ LED POWER DISPLAY
- ◆ HIGH-POWER MULTI-DEVICE COMPATIBILITY

SPECIFICATION

Model No.: APBH003

Battery Capacity: 20000mAh

Rated Capacity: 12000mAh(5V=3A)

Rated Energy: 74Wh

Material: ABS+PC

USB-C1/USB-C2 Cable Input: 5V=3A 9V=3A

12V=3A 15V=3A 20V=3.25A

USB-C1/USB-C2 Cable Output: 5V=3A 9V=3A

12V=3A 15V=3A 20V=3.25A

USB-A Output: 5V=3A 9V=2A 10V=2.25A(SCP) 12V=1.5A

Total Output: 5V=3A Max

Size:153*70*28mm



**PD 100W FAST CHARGE
BUILT-IN USB-C CABLE**

MAIN FEATURE

- ◆ BUILT-IN PD 100W USB-C CABLE
- ◆ 20000MAH HIGH CAPACITY
- ◆ LED POWER DISPLAY
- ◆ HIGH-POWER MULTI-DEVICE COMPATIBILITY

SPECIFICATION

Model No.: APBH004

Battery Capacity: 20000mAh

Rated Capacity: 12000mAh(5V=2A)

Rated Energy: 72Wh

Material: ABS+PC

USB-C1/USB-C2 Cable Input: 5V=3A 9V=3A 12V=3A 15V=3A 20V=5A

USB-C1/USB-C2 Cable Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=5A

USB-A Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

USB-Cable+(USB-C+USB-A)Output:65W+15W (80W Max)

USB-C+USB-C Cable Output:65W+65W(130W Max)

USB-Cable+USB-A Output:65W+22.5W (87.5W Max)

USB-C+USB-A Output: 5V=3A(15W Max) Total Output: 5V=3A Max

Size:162*56*41mm



**PD 140W FAST CHARGE
BUILT-IN USB-C CABLE**

MAIN FEATURE

- ◆ BUILT-IN PD 140W USB-C CABLE
- ◆ 27000MAH HIGH CAPACITY
- ◆ LED POWER DISPLAY
- ◆ HIGH-POWER MULTI-DEVICE COMPATIBILITY

SPECIFICATION

Model No.: APBH005

Battery Capacity: 27000mAh

Rated Capacity: 16000mAh(5V=2A) Rated Energy:97.2Wh

USB-C1 Input: 5V=3A 9V=3A 12V=3A 15V=3A 20V=5A

USB-C2 Cable Input: 5V=3A 9V=3A 12V=3A 15V=3A
20V=5A 28V=5A

USB-C1 Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=5A

USB-C2 Cable Output: 5V=3A 9V=3A 12V=3A 15V=3A
20V=5A 28V=5A

USB-A Output: 5V=3A 9V=2A 10V=2.25A 12V=1.5A

USB-C Cable+(USB-C+USB-A)Output:140W+15W (155W Max)

USB-C+USB-C Cable Output:100W+140W(240W Max)

USB-C Cable+USB-A Output:140W+22.5W (162.5W Max)

USB-C+USB-A Output: 5V=3A(15W Max) Total Output: 5V=3A Max

Size:162*56*50mm



**PD 55W FAST CHARGE
BUILT-IN USB-C & LIGHTNING**

MAIN FEATURE

- ◆ BUILT-IN PD 55W USB-C CABLE
- ◆ BUILT-IN FAST CHARGE LIGHTNING CABLE
- ◆ SMART DIGITAL POWER DISPLAY
- ◆ HIGH-POWER MULTI-DEVICE COMPATIBILITY

SPECIFICATION

Model No.: APBH006/APBH007

Battery Capacity: 10000mAh/20000mAh

Rated Capacity: 5800mAh(5V=2A)

Rated Energy: 36Wh/72Wh

Material: ABS+PC

USB-C1/USB-C2 Cable Input: 5V=3A 9V=3A 12V=2.5A

15V=2A 20V=1.5A

USB-C1/USB-C2 Cable Output: 5V=3A 9V=3A 10V=2.25A

12V=3A 15V=3A 20V=2.75A

USB-A Output: 5V=3A 9V=2A 12V=1.5A 10V=2.25A

Lightning Cable Output: 5V=3A 9V=3A

Total Output: 5V=3A Max

Size: 91*53*31mm/97*61*36mm

APACHE

POWER ADAPTER

CLASSIC FAST CHARGE



Free to Expand and Contract



UNIVERSAL TRAVEL ADAPTER



35W
GoN
FAST CHARGE
WITH SWITCHABLE CABLE

BUILT-IN CABLE
FAST CHARGE



HIGH POWER



**DUAL USB-A
FAST CHARGE**

MAIN FEATURE

- ◆ DUAL USB-A OUTPUT
- ◆ 5V 2.1A FAST CHARGE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS001

Input: 100-240V ~50Hz/60Hz 0.3A(Max)

Output: AOD: 5V=2.1A ISO: 5V=2.1A



PD 20W FAST Charge

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ USB-C OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS002

Input: 100-240V~50Hz/60Hz 0.6A(Max)

Output: 5V=3A 9V=2.22A 12V=1.67A

PPS: 5.0-11V=1.8A



**PD 20W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ DUAL OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS003

Input: 100-240V~50Hz/60Hz 0.6A(Max)

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

PPS: 5.0-11V=1.8A

USB-A Output: 5V=3A 9V=2A 12V=1.5A

USB-A+USB-C: 5V=3.1A



PD 30W FAST Charge

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ USB-C OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS004

Input: 100-240V~50Hz/60Hz 1.0A(Max)

Output:: 5V=3A 9V=3A 12V=2.91A 15V=2.33A 20V=1.5A

PPS:5.0-11V=3A



**PD 30W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ DUAL OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS005

Input: 100-240V~50Hz/60Hz 1.0A(Max)

USB-A Output: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=3A 12V=2.5A

PPS: 5.0-11V=3A

USB-A&USB-C: 5V=3.1A



**DUAL USB-A
FAST CHARGE**

MAIN FEATURE

- ◆ DUAL USB-A OUTPUT
- ◆ 5V 2.4A FAST CHARGE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS006

Input: 100-240V~50Hz/60Hz 0.3A(Max)

Output: AOD: 5V=2.1A IOS: 5V=2.1A

5V=2.4A (12W Max)



PD 20W FAST Charge

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ USB-C OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS007

Input: 100-240V~50Hz/60Hz 0.6A(Max)

Output: 5V=3A 9V=2.22A 12V=1.67A

PPS: 5.0-11V=1.8A



**PD 20W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ DUAL OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS008

Input: 100-240V~50Hz/60Hz 0.6A(Max)

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

PPS: 5.0-11V=1.8A

USB-A Output: 5V=3A 9V=2A 12V=1.5A

USB-A&USB-C: 5V=3.1A



PD 35W FAST Charge

MAIN FEATURE

- ◆ PD 35W FAST CHARGE
- ◆ USB-C OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS009

Input:: 100-240V ~ 50Hz/60Hz 1.0A(Max)

Output:: 5V=3A 9V=3A 12V=2.91A 15V=2.33A 20V=1.5A

PPS:5.0-11V=3A



**PD 30W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ DUAL OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCS010

Input: 100-240V~50Hz/60Hz 1.0A(Max)

USB-A Output: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=3A 12V=2.5A

PPS: 5.0-11V=3A

USB-A&USB-C: 5V=3.1A



**GAN PD 35W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 35W FAST CHARGE
- ◆ DUAL USB-C OUTPUT
- ◆ PD/PPS MULTI-PROTOCOL
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG001

Input: 100-240V~50Hz/60Hz 1.0A(Max)

USB-C1/USB-C2 Output: 5V=3A 9V=3A 12V=2.91A 15V=2.33A
20V=1.75A

PPS: 5.0-11V=3A

USB-C1&USB-C2: 5V=3.2A



**GAN PD 45W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ DUAL OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG002

Input: 100-240V~50Hz/60Hz 1.0A(Max)

USB-C Output: 5V=3A 9V=3A 12V=2.91A 15V=3A 20V=2.25A

PPS: 5.0-11V=3A

USB-A Output: 5V=3A 9V=3A 12V=2.5A

USB-A+USB-C: 5V=3.2A



GAN PD 45W
DUAL PORT FAST CHARGE

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ DUAL USB-C OUTPUT
- ◆ PD/PPS MULTI-PROTOCOL
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG003

Input: 100-240V~50Hz/60Hz 1.0A(Max)

USB-C1/USB-C2 Output: 5V=3A 9V=3A 12V=2.91A 15V=2.33A
20V=2.25A

PPS: 5.0-11V=3A

USB-C1&USB-C2: 5V=3.2A



**GAN PD 67W & QC 18W
DUAL USB-C & USB-A**

MAIN FEATURE

- ◆ PD 67W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ TRIPLE-PORT OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG004

Input: 100-240V~ 50Hz/60Hz 1.5A(Max)

USB-C1 Output: 5V=3A 9V=3A 12V=3A 15V=3A

20V=3.35A (67W Max) PPS: 5.0-11V=5A

USB-C2/USB-A Output: 5V=3A 9V=2.22A

USB-C1&USB-C2=USB-A: 45W&20W

USB-C1&(USB-C2&USB-A): 45W&5V=3A

Total Output: 67W Max



GAN PD 35W
FAST Charge

MAIN FEATURE

- ◆ PD 35W FAST CHARGE
- ◆ USB-C OUTPUT
- ◆ PD/PPS MULTI-PROTOCOL
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG005

Input: 100-240V~50Hz/60Hz 1.0A(Max)

Output: 5V=3A 9V=3A 12V=2.91A 15V=2.33A 20V=1.75A

PPS: 5.0-11V=3A



**GAN PD 35W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 35W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ DUAL OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG006

Input: 100-240V~50Hz/60Hz 1.0A(Max)

USB-C Output: 5V=3A 9V=3A 12V=2.91A

15V=2.33A 20V=1.75A

PPS: 5.0-11V=3A

USB-A Output: 5V=3A 9V=3A 12V=2.5A

USB-A&USB-C:5V=3.2A



GAN PD 45W
FAST Charge

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ USB-C OUTPUT
- ◆ PD/PPS MULTI-PROTOCOL
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG007

Input: 100-240V~50Hz/60Hz 1.2A(Max)

USB-C Output: 5V=3A 9V=3A 12V=3A 15V=3A

20V=2.25A

PPS: 5.0-11V=3A



**GAN PD 45W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ DUAL OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No: AWCG008

Input: 100-240V~50Hz/60Hz 1.0A(Max)

USB-C Output: 5V=3A 9V=3A 12V=2.91A 15V=3A 20V=2.25A

PPS: 5.0-11V=3A

USB-A:5V=3A 9V=3A 12V=2.5A

USB-A&USB-C:5V=3.2A

Support: PD3.0、PPS、AFC、QC3.0、Mi Turbo Charge、HVSCP、
Super Vooc



**GAN PD 20W
FAST CHARGE**

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ USB-C OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG009

Input: 100-240V 50/60Hz

Output: 5V=3A 9V=2.22A 12V=1.67A

Total Output: 20W Max.

Protocols USB-C: PD2.0/PD3.0/BC1.2/Apple2.4A



**GAN PD 20W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG010

Input: 100-240V

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A (20W Max)

USB-A Output: 5V=3A 9V=2.22A 12V=1.67A(20W Max)

PD&USB-A Total Output: 5V=3A (15W Max)

Protocols USB-A:

QC2.0/QC3.0/Huwei FCP,SCP/OPPO VOOC/AFC/BC1.2/Apple2.4A

Protocols USB-C: QC2.0/QC3.0/FCP/AFC/PD2.0/PD3.0/BC1.2/Apple2.4A



**GAN PD 25W
FAST CHARGE**

MAIN FEATURE

- ◆ PD 25W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ USB-C OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG011

Input: 100-240V~50Hz/60Hz 0.6A(Max)

Output: 5V=3A 9V=2.77A 12V=2.08A

PPS: 5.0-11V=2.25A



**GAN PD 25W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 25W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG012

Input: 100-240V~ 50/60Hz 0.6A(Max)

USB-A Output: : 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=2.77A 12V=2.08A

PPS: 5.0-11V=2.25A

USB-A&USB-C: 5V=3.2A



**GAN PD 35W
FAST CHARGE**

MAIN FEATURE

- ◆ PD 35W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ USB-C OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG013

Input: 100-240V~50Hz/60Hz 1.0A(Max)

Output: 5V=3A 9V=3A 12V=2.91A 15V=2.33A 20V=1.75A

PPS: 5.0-11V=3A



**GAN PD 35W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 35W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG014

Input: 100-240V ~ 50Hz/60Hz 1.0A(Max)

USB-A Output: : 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=3A 12V=2.91A

15V=2.33A 20V=1.75A

PPS: 5.0-11V=3A

USB-A&USB-C: 5V=3.2A



**GAN PD 45W
FAST CHARGE**

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ USB-C OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG015

Input: 110-240V ~ 50Hz/60Hz 1.2A(Max)

USB-C Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=2.25A

PPS: 5.0-11V=3A



**GAN PD 45W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG016

Input: 100-240V~50Hz/60Hz 1.2A(Max)

USB-A Output: 5V=3A 9V=2A 12V=1.5A

USB-C Output: 5V=3A 9V=3A 12V=3A 15V=3A

20V=2.25A

PPS: 5.0-11V=3A

USB-A&USB-C: 5V=3.2A



**GAN PD 20W
FAST CHARGE**

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ USB-C OUTPUT
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG017

Input: 110-240V~50Hz/60Hz 0.6A(Max)

Output: 5V=3A 9V=2.22A 12V=1.67A

PPS: 5.0-11V=1.8A



**GAN PD 20W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG018

Input: 100-240V~50Hz/60Hz 0.6A(Max)

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A

PPS: 5.0-11V=1.8A

USB-A Output: 5V=3A 9V=2A 12V=1.5A

USB-A&USB-C: 5V=3.1A



**GAN PD 25W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 25W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG019

Input: 100-240V~50Hz/60Hz 0.6A(Max)

USB-C Output: 5V=3A 9V=2.77A 12V=2.08A

PPS: 5.0-11V=2.25A

USB-A Output: 5V=3A 9V=2A 12V=1.5A

USB-A&USB-C: 5V=3.2A



**GAN PD 35W & QC 18W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 35W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG020

Input: 100-240V ~ 50Hz/60Hz 1.0A(Max)

USB-C Output: 5V=3A 9V=3A 12V=2.91A 15V=2.33A 20V=1.75A

PPS: 5.0-11V=3A

USB-A Output: 5V=3A 9V=2A 12V=1.5A

USB-A&USB-C: 5V=3.2A



**GAN PD 35W
DUAL PORT FAST CHARGE**

MAIN FEATURE

- ◆ PD 35W FAST CHARGE
- ◆ DUAL USB-C OUTPUT
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG021

Input: 100-240V~50Hz/60Hz 1.0A(Max)

USB-C1/USB-C2 Output: 5V=3A 9V=3A 12V=2.91A 15V=2.33A
20V=1.75A

PPS: 5.0-11V=3A

USB-C1&USB-C2: 5V=3.2A



**GAN PD 45W & QC 25W
DUAL USB-A & USB-C**

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ QC 25W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG022

Input: 100-240V~50Hz/60Hz 1.5A(Max)

USB-C Output: 5V=3A 9V=2.77A 12V=2.08A

PPS: 5.0-11V=2.25A

USB-A1 Output: 5V=3A 9V=2.77A 12V=2.1A

USB-A2 Output: 5V=3A 9V=2.22A 12V=1.67A

USB-C&USB-A1: 5V=4A (20W Max)

USB-C/USB-A1&USB-A2: 25W&20W

(USB-C&USB-A1)&USB-A2: 20W&20W

Total Output: 45W Max



**GAN PD 65W & QC 30W
DUAL USB-C & USB-A**

MAIN FEATURE

- ◆ PD 65W FAST CHARGE
- ◆ QC 30W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG023

Input: 100-240V~50Hz/60Hz 1.5A(Max)

USB-C1/USB-C2 Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=3.25A

PPS: 5.0-20V=3.25A(65W Max)

USB-A Output: 5V=3A 9V=3A 12V=2.5A

USB-C1& USB-C2: 45W& 20W

USB-C1&USB-A: 45W& 20W

USB-C2&USB-A: 5V=2.4A&5V=2.4A

USB-C1&USB-C&USB-A: 45W&5V=2A&5V=2A

Total Output: 65W Max



**GAN PD 100W & QC 30W
TRIPLE USB-C & USB-A**

MAIN FEATURE

- ◆ PD 100W FAST CHARGE
- ◆ QC 30W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWC024

Input: 100-240V ~ 50Hz/60Hz 2.5A(Max)

USB-C1/USB-C2 Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=5A

PPS: 5.0-20V=5A(100W Max)

USB-C3 Output: 5V=3A 9V=3A 15V=2.33A 20V=1.75A

USB-A Output: 5V=3A 9V=3A 12V=2.5A

USB-C1&USB-C2/USB-C3: 65W&35W

USB-C2&USB-C3: 65W&35W

USB-C1/USB-C2&USB-A: 65W&30W

USB-C3&USB-A: 5V=2.1A&5V=2.1A

USB-C1&USB-C2&USB-C3/USB-A: 45W& 35W&20W

USB-C1/USB-C2&USB-C3&USB-A: 65W&5V=2.1A&5V=2.1A

USB-C1&USB-C2&USB-C3&USB-A: 45W&35W&5V=2.1A&5V=2.1A

Total Output: 100W Max



**GAN PD 140W & QC 30W
TRIPLE USB-C & USB-A**

MAIN FEATURE

- ◆ PD 140W FAST CHARGE
- ◆ QC 30W FAST CHARGE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCG025

Input: 100-240V ~ 50Hz/60Hz 2.5A(Max)

USB-C1/USB-C2 Output: 5V=3A 9V=3A 12V=3A

15V=3A 20V=5A 28V=5A

PPS: 5.0-20V=5A(140W Max)

USB-C3 Output: 5V=3A 9V=3A 12V=3A 15V=2.66A 20V=2A

USB-A: 5V=3A 9V=3A 12V=2.5A

USB-C1&USB-C2: 65W&65W

USB-C1/USB-C2&USB-C3: 100W& 40W

USB-C1/USB-C2&USB-A: 100W & 30W

USB-C3&USB-A: 5V=1.5A& 5V=1.5A

USB-C1&USB-C2&USB-C3/USB-A: 65W&45W &30W

USB-C1/USB-C2&(USB-C3&USB-A): 100W&5V=1.5A& 5V=1.5A

USB-C1&USB-C2&(USB-C3&USB-A): 65W& 45W&5V=1.5A& 5V=1.5A

Total Output: 140W Max



GAN PD 45W
RETRACTABLE USB-C CABLE

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCC001

Input: 100-240V~50/60Hz 1.0A Max

USB-C Cable Output: 5V=3A 9V=3A 12V=3A

15V=3A 20V=2.25A (45W)

PPS: 3.3V-11V=3.25A 3V-21V=2.15A

USB-C Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=2.25A (45W)

PPS: 3.3V-11V=4.05A, 3.3V-21V=2.15A

USB-C&USB-C Cable: 5V=3.4A 17W

Retractable Cable Length: 80cm



GAN PD 65W
RETRACTABLE USB-C CABLE

MAIN FEATURE

- ◆ PD 65W FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-SAFETY PROTECTION

SPECIFICATION

Model No.: AWCC002

Input: 100-240V~50/60Hz 1.5A Max

USB-C Output: 5V=3A 9V=3A 12V=3A 15V=3A
20V=3.25A (65W)

PPS: 3.3V-21V=3.25A

USB-C Cable Output: 5V=3A 9V=3A 12V=3A
15V=3A 20V=3.25A (65W)

USB-C&USB-C Cable: 5V=4A 20W

Retractable Cable Length: 80cm



GAN PD 35/45W
RETRACTABLE USB-C CABLE

MAIN FEATURE

- ◆ PD 35W/45W FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ GAN POWER TECHNOLOGY
- ◆ MULTI-SAFETY PROTECTION

SPECIFICATION

Model No.: AWCC003

Input: 100-240V~50/60Hz 0.8A

USB-C1/C2 Output: 5V=3A 9V=3A 12V=2.91A 15V=2.33A 20V=1.75A

Total Power Output: 5V=3A

Size: 58.7*40*46mm

Weight: 108g

Model No.: AWCC004

Input: 100-240V~50/60Hz 1.2A

USB-C1/C2 Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=2.25A

Total Power Output: 20W+20W

Size: 58.7*40*46mm

Weight: 108g



GAN PD 35/45W
RETRACTABLE USB-C CABLE

MAIN FEATURE

- ◆ PD 35W/45W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ GAN POWER TECHNOLOGY

SPECIFICATION

Model No.: AWCC005

Input: 100-240V~50/60Hz 0.8A

USB-C1/C2 Output: 5V~3A 9V~3A 12V~2.91A 15V~2.33A 20V~1.75A

USB-A1 Output: 5V~3A 9V~2A 12V~1.5A

USB-C1+USB-A1: 5V~3A

Total Power Output: USB-C1+C2: 5V~3A

Size: 58.7*40*46mm Weight: 114g

Model No.: AWCC006

Input: 100-240V~50/60Hz 1.2A

USB-C1/C2 Output: 5V~3A 9V~3A 12V~3A 15V~3A 20V~2.25A

USB-A1 Output: 5V~3A 9V~2A 12V~1.5A

Total Power Output: USB-C1+C2 : 30W+12W

USB-C1+USB-A1 : 20W+18W=C2+A1 : 5V~3A=15W

USB-C1+(C2+A1) : 30W+12W

Size: 58.7*40*46mm Weight: 114g



PD 45W UNIVERSAL ADAPTER RETRACTABLE USB-C CABLE

MAIN FEATURE

- ◆ USB-C CABLE&USB-A&3*USB-C
- ◆ PD & QC FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCT001

Input: 100V~240V AC, 50/60Hz

Rated Voltage: 100V-240V AC, 10A Max, 1000W-2400W

USB-C1/C2/C3/C4 Output: 5V=3A 9V=2.77A 12V=2.08A(25W)

USB-A Output: 5V=3A 9V=2A 12V=1.5A(18W)

Retractable Cable Length: 60cm

Size: 77*53*53mm Weight: 164g

Model No.: AWCT002

Input: 100V~240V AC, 50/60Hz

Rated Voltage: 100V-240V AC, 10A Max, 1000W-2400W

USB-C1 Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=2.25A (45W Max)

USB-C2/C3/C4 Output: 5V=2.4A

USB-A Output: 5V=2.4A

Retractable Cable Length: 60cm

Size: 77*53*53mm Weight: 173g



PD 25W & QC 18W
UNIVERSAL TRAVEL ADAPTER

MAIN FEATURE

- ◆ PD 25W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GLOBAL CONVERSION
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCT003

Input: 100V~240V AC, 50/60Hz

Rated Voltage: 100V-240V AC, 10A Max, 1000W-2400W

USB-C1/C2/C3 Output: 5V=3A 9V=2.77A 12V=2.08A (25W Max)

USB-A Output: 5V=3A 9V=2A 12V=1.5A (18W Max)

Size: 53*60*53mm

Weight: 119g



PD 25W & QC 18W UNIVERSAL TRAVEL ADAPTER

MAIN FEATURE

- ◆ PD 25W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GLOBAL CONVERSION
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCT004

Input: 100V~240V AC, 50/60Hz

Rated Voltage: 100V-240V AC, 8A Max, 800W-1920W

USB-A1/A2 Output: 5V=3A 9V=2A 12V=1.5A(18W)

USB-C1/C2 Output: 5V=3A 9V=2.77A 12V=2.08A(25W)

Size: 71*52*53mm

Weight: 143g



PD 45W & QC 18W UNIVERSAL TRAVEL ADAPTER

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ GLOBAL CONVERSION
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: AWCT005

Input: 100V~240V AC, 50/60Hz

Rated Voltage: 100V-240V AC, 10A Max, 1000W-2400W

USB-C1 Output: 5V=3A 9V=3A 12V=3A 15V=3A

20V=2.25A(45W Max)

USB-C2/C3 Output: 5V=3A 9V=2.22A 12V=1.67A(20W Max)

USB-A1/A2 Output: 5V=3A 9V=2A 12V=1.5A(18W Max)

Size: 66*53*53mm

Weight: 145g

APACHE



CLASSIC FAST CHARGE



HIGH POWER FAST CHARGE



BUILT-IN CABLE FAST CHARGE

CAR CHARGER



**BLUETOOTH TRANSMITTER
CAR CHARGE**



MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ FULL ALLOY CASING
- ◆ PHONE & TABLET COMPATIBLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS001

Input: DC12-24V

USB-C Output: 5V=3A 9V=3A 12V=2.5A(30W)

Total Output: 30W

Material: Allumunium Alloy

PD 30W FAST Charge



**PD 20W & QC 18W
DUAL PORT FAST Charge**

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ TRANSPARENT DESIGN
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS002

Input: DC12-24V

USB-C Output: 5V $\rightarrow$ 3A 9V $\rightarrow$ 2.22A 12V $\rightarrow$ 1.67A Max (PD3.0)

USB-A Output: 5V $\rightarrow$ 3A 9V $\rightarrow$ 2A 12V $\rightarrow$ 1.5A Max(QC 3.0)

Total Output:38W



**PD 20W & QC 18W
DUAL PORT FAST Charge**

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ TRANSPARENT DESIGN
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS003

Input: DC12-24V

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A Max (PD3.0)

USB-A Output: 5V=3A 9V=2A 12V=1.5A Max(QC 3.0)

Total Output:38W



**PD 20W & QC 18W
DUAL PORT FAST Charge**

MAIN FEATURE

- ◆ PD 20W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ FULL ALLOY CASING
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS004

Input: DC12-24V

USB-C Output: 5V=3A 9V=2.22A 12V=1.67A Max (PD3.0)

USB-A Output: 5V=3A 9V=2A 12V=1.5A Max(QC 3.0)

Total Output:38W

Material: Alluminium Alloy



PD 30W & QC 18W
DUAL PORT FAST Charge

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ PHONE & TABLET COMPATIBLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS005

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A (QC3.0 18W)

USB-C Output: 5V=3A 9V=3A 12V=2.5A (PD3.0 30W)

PPS: 3.3-11V=3A 3.3-12V=2A

USB-A+USB-C=51W Max

Total Output: 51W



PD 30W & QC 18W
DUAL PORT FAST Charge

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ PHONE & TABLET COMPATIBLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS006

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-C Output: 5V=3A 9V=3A 12V=2.5A (30W Max)

PPS Output: 3.3-11V=3A (33W Max)

PPS33W / PD30W+QC18W

Total Output 51 W



**PD 30W & QC 18W
DUAL PORT FAST Charge**

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ FULL ALLOY CASING
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS007

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A (18W)

USB-C Output: 5V=3A 9V=3A 12V=2.5A (30W)

USB-A+USB-C=48W

Total Output: 48W

Material: Allumunium Alloy



PD 30W
DUAL PORT FAST Charge

MAIN FEATURE

- ◆ DUAL USB-C OUTPUT
- ◆ PD 30W FAST CHARGE
- ◆ FULL ALLOY CASING
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS008

Input: DC12-24V

USB-A Output: 5V=3A 9V=3A 12V=2.5A (30W)

USB-C Output: 5V=3A 9V=3A 12V=2.5A (30W)

USB-A+USB-C=60W

Total Output: 60W

Material: Alluminium Alloy



**PD 30W & QC 18W
DUAL PORT FAST Charge**

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ PHONE & TABLET COMPATIBLE
- ◆ LED POWER DISPLAY

SPECIFICATION

Model No.: ACCS009

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A (18W)

USB-C Output: 5V=3A 9V=3A 12V=2.5A (30W)

USB-A+USB-C=48W

Total Output:48W

Material: Allumunium Alloy



**PD 36W & QC 18W
DUAL PORT FAST Charge**

MAIN FEATURE

- ◆ PD 36W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ FULL ALLOY CASING
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS010

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-C Output: 5V=3A 9V=3A 12V=3A (36W Max)

USB-A+USB-C:18W+36W=54W

Total Output: 54W

Material:Zinc Alloy



PD 36W & QC 18W
DUAL PORT FAST Charge

MAIN FEATURE

- ◆ PD 36W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ FULL ALLOY CASING
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS011

Input: 12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A(18W Max)

USB-C Output: 5V=3A 9V=3A 12V=3A(36W Max)

PPS: 3.3-11V=3A(33W Max)

USB-A+USB-C: 5V=3A

Total Output: 36W

Material: Allumunium Alloy



PD 30W & QC 18W
DUAL PORT FAST Charge

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ FULL ZINC ALLOY CASING
- ◆ SAFETY HAMMER & CUTTER

SPECIFICATION

Model No.: ACCS012

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-C Output: 5V=3A 9V=3A 12V=2.5A (30W Max)

PPS Output: 3.3-11V=3A (33W Max)

PPS33W / PD30W+QC18W

Total Output: 51W

Material: Zinc Alloy



**PD 30W & QC 18W
DUAL USB-C & DUAL USB-A**

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ PHONE & TABLET COMPATIBLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCS013

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A (18W Max)

USB-C Output: 5V=3A 9V=3A 12V=2.5A (30W Max)

PPS Output: 3.3-11V=3A (33W Max)

PPS33W/PD30W/QC18W+PPS33W/PD30W/QC18W

Total Output:66W



PD 30W FAST Charge
BLUETOOTH TRANSMITTER

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ BLUETOOTH TRANSMITTER
- ◆ LED DISPLAY
- ◆ FM/USB FLASH SUPPORTED

SPECIFICATION

Model No.: ACCS014

Input: DC12-24V

USB-A Output: 5V=2.4A (12W)

USB-C Output: 5V=3A 9V=3A 12V=2.5A 13V=2.3A(Input>13V) (30W)

PPS: 3.3V-11V=3A(33W)

USB-A+USB-C=12W+33W=45W

Transmission Distance: $\geq 10\text{M}$

USB Flash drive playback port: USB-A port

Functions: FM emission, Bluetooth music playback, Hands-free calling, smart charging, digital tube display, Breathing RGB color, Voltage detection



**PD 65W & QC 18W
DUAL USB-C & USB-A**

MAIN FEATURE

- ◆ PD 65W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ LAPTOP COMPATIBLE
- ◆ FULL ALLOY CASING

SPECIFICATION

Model No.: ACCH001

Input: DC12-24V

USB-C1 Output: 5V=3A 9V=3A 12V=3A 15V=3A 20V=3.25A (65W)

PPS: 3.3-11V=5A 3.3-21V=3.25A

USB-C2 Output: 5V=3A 9V=3A 12V=2.5A(30W)

PPS: 3-5.9V=3A 3-11V=2.75A

USB-A Output: 5V=3A 9V=2A, 12V=1.5A(18W)

(USB-A+USB-C2)+USB-C1: 15W+65W=80W

USB-C1+USB-A=65W+18W=83W

USB-C1+USB-C2: 65W+30W=95W

Total Output:95W

Material: Aluminum Alloy



**PD 65W & QC 18W
DUAL PORT FAST Charge**

MAIN FEATURE

- ◆ PD 65W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ FULL ALLOY CASING
- ◆ LED POWER DISPLAY

SPECIFICATION

Model No.: ACCH002

USB-C Output: 5V=3A 9V=3A 12V=3A

15V=3A 20V=3.25A (65W Max)

PPS(3.3-5.9V=3A or 3.3-21V=3A (63W Max)

USB-A Output: 3.6-6.5V=3A 6.5-9V=2A 9-12V=1.5A (18W Max)

Total Output: 83W

Material: Aluminum Alloy



**PD 30W & QC 18W
RETRACTABLE USB-C**

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCC001

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A (QC 18W Max)

USB-C Output: 5V=3A 9V=3A 12V=2.5A (PD 30W Max)

PPS Output: 3.3-11V=3A (33W)

USB-C(Cable): 5V=3A 9V=3A 12V=2.5A (30W)

PPS Output: 3.3-11V=3A (33W Max)

PD30W/PPS33W+PD30W/PPS33W+QC18W=84W

Total Output: 84W



**PD 30W & QC 18W
RETRACTABLE USB-C**

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCC002

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A (QC 18W Max)

USB-C Output: 5V=3A 9V=3A 12V=2.5A (PD 30W Max)

PPS Output: 3.3-11V=3A (33W)

USB-C Cable Output: 5V=3A 9V=3A 12V=2.5A (30W)

PPS Output: 3.3-11V=3A (33W Max)

PD30W/PPS33W+PD30W/PPS33W+QC18W=84W

Total Output: 84W



**PD 30W & QC 30W
RETRACTABLE USB-C**

MAIN FEATURE

- ◆ PD 30W FAST CHARGE
- ◆ QC 30W FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCC003

Input: DC12-24V

USB-C Cable Output: 5V=3A 9V=3A 12V=2.5A (30W Max)

PPS(33W): 3.3-11V=3A

USB-C Output: 5V=3A 9V=3A 12V=2.5A (30W Max)

PPS(33W): 3.3-11V=3A

USB-A Output: 5V=3A 9V=3A 12V=2.5A (30W Max)

USB-C Cable+USB-C+USB-A=33W+33W+30W=96W

Total Output:96W



**PD 36W & QC 20W
RETRACTABLE USB-C**

MAIN FEATURE

- ◆ PD 36W FAST CHARGE
- ◆ QC 20W FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCC004

Input: DC 12-24V 3.5A Max

USB-A Output: 5V=3A 9V=2.22A 12V=1.6A (20W)

USB-C Output: 5V=3A 9V=2A 12V=1.5A (20W)

USB-C Cable Output: 5V=3A 9V=2.22A 12V=3A(36W)

USB-C Cable+USB-C+USB-A:36W+18W

Total Output: 54W



**PD 45W & QC 18W
RETRACTABLE USB-C**

MAIN FEATURE

- ◆ PD 45W FAST CHARGE
- ◆ QC 18W FAST CHARGE
- ◆ RETRACTABLE USB-C CABLE
- ◆ MULTI-PROTECTION

SPECIFICATION

Model No.: ACCC005

Input: DC12-24V

USB-A Output: 5V=3A 9V=2A 12V=1.5A(18W Max)

USB-C Output: 5V=3A 9V=3A 12V=2.5A(30W Max)

PPS Output: 3.3-11V=3A(33W Max)

USB-C Cable Output: 5V=3A 9V=3A 12V=3A 15V=3A
20V=2.5A(45W Max)

PPS Output: 3.3-20V=2.5A(45W Max)


Total Output: 96W

APACHE



CABLE





CLASSIC APPLE DESIGN

MAIN FEATURE

- ◆ ABS & TPE MATERIAL
- ◆ CLASSIC APPLE DESIGN
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ 10000+ BENDING TEST

SPECIFICATION

Model No.: ACBS001

Type: USB-A to USB-C

Current: 2.4A

Length: 100 cm

Material: ABS+TPE

Model No.: ACBS003

Type: USB-C to Lightning

Power Delivery: 20W Max

Length: 100 cm

Material: ABS+TPE


Model No.: ACBS002

Type: USB-A to Lightning

Current: 2.4A

Length: 100 cm

Material: ABS+TPE



**60W USB-C TO USB-C
CLASSIC APPLE DESIGN**

MAIN FEATURE

- ◆ ABS & PVC & NYLON BRAIDED
- ◆ 60W MAX PD 3A FAST CHARGING
- ◆ APPLE DESIGN & UNIVERSAL COMPATIBILITY
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBS004


Type: USB-C to USB-C

Current: 3A

Power Delivery: 60W Max

Length: 100 cm

Material: ABS+Nylon Braided



TPE DRAWING DESIGN

MAIN FEATURE

- ◆ CLASSIC TPE MATERIAL
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBS005

Type: USB-A to USB-C

Current: 2.4A

Length: 100 cm

Material: TPE

Model No.: ACBS007

Type: USB-C to USB-C

Current: 3A

Power Delivery: 60W Max

Length: 100 cm

Material: TPE

Model No.: ACBS006

Type: USB-A to Lightning

Current: 2.4A

Length: 100 cm

Material: TPE

Model No.: ACBS008

Type: USB-C to Lightning

Power Delivery: 27W Max

Length: 100 cm

Material: TPE



NYLON BRAIDED INJECTION CONNECTOR

MAIN FEATURE

- ◆ PVC & NYLON BRAIDED INTEGRATED INJECTION MOLDING
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBS009

Type: USB-A to USB-C

Current: 3A

Length: 100 cm

Material: PVC+Nylon Braided

Model No.: ACBS011

Type: USB-C to USB-C

Current: 5A

Power Delivery: 100W Max

Length: 100 cm

Material: PVC+Nylon Braided

Model No.: ACBS010

Type: USB-A to Lightning

Current: 2.4A

Length: 100 cm

Material: PVC+Nylon Braided


Model No.: ACBS012

Type: USB-C to Lightning

Power Delivery: 27W Max

Length: 100 cm

Material: PVC+Nylon Braided



**GENUINE SILICONE
INTEGRATED INJECTION**

MAIN FEATURE

- ◆ GENUINE SILICONE MATERIAL
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBS013
Type: USB-A to USB-C
Current: 2.4A
Power Delivery: 12W Max
Length: 100cm
Material: Silicone

Model No.: ACBS015
Type: USB-C to USB-C
Current: 3A
Power Delivery: 60W Max
Length: 100cm
Material: Silicone

Model No.: ACBS014
Type: USB-A to Lightning
Current: 2.4A
Power Delivery: 12W Max
Length: 100cm
Material: Silicone

Model No.: ACBS016
Type: USB-C to Lightning
Power Delivery: 30W Max
Length: 100cm
Material: Silicone



**INTEGRATED PVC
INTEGRATED INJECTION**

MAIN FEATURE

- ◆ PVC & INTEGRATED INJECTION MOLDING
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBS017

Type: USB-A to USB-C

Current: 3A

Power Delivery: 15W Max

Length: 100cm

Material: PVC+Injection Molding

Model No.: ACBS019

Type: USB-C to USB-C

Current: 3A

Power Delivery: 60W Max

Length: 100cm

Material: PVC+Injection Molding

Model No.: ACBS018

Type: USB-A to Lightning

Current: 2.4A

Power Delivery: 12W Max

Length: 100cm

Material: PVC+Injection Molding

Model No.: ACBS020

Type: USB-C to Lightning

Current: 3A

Power Delivery: 27W Max

Length: 100cm

Material: PVC+Injection Molding



**TRANSPARENT CASING
NYLON BRAIDED**

MAIN FEATURE

- ◆ PVC & PC & NYLON BRAIDED
- ◆ FULL TRANSPARENT CASING
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBS021

Type: USB-C to USB-C

Current: 3A

Power Delivery: 60W Max

Length: 100 cm

Material: PVC+PC+Nylon Braided

Model No.: ACBS022

Type: USB-C to Lightning

Power Delivery: 27W Max

Length: 100 cm

Material: PVC+PC+Nylon Braided



**ALLOY CASING &
NYLON BRAIDED**

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA001

Type: USB-C to USB-C

Current: 3A

Power Delivery: 65W Max

Length: 100cm

Material: PVC + Nylon + Metal
Casing

Model No.: ACBA002

Type: USB-C to Lightning

Power Delivery: 30W Max

Length: 100cm

Material: PVC + Nylon + Metal
Casing



**ALLOY CASING &
NYLON BRAIDED**

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA003

Type: USB-A to USB-C

Current: 2.4A

Length: 100 cm

Material: PVC + Nylon + Metal

Model No.: ACBA005

Type: USB-C to USB-C

Current: 3A

Power Delivery: 60W Max

Length: 100 cm

Material: PVC + Nylon + Metal

Model No.: ACBA004

Type: USB-A to Lightning

Current: 2.4A

Length: 100 cm

Material: PVC + Nylon + Metal


Model No.: ACBA006

Type: USB-C to Lightning

Power Delivery: 27W Max

Length: 100 cm

Material: PVC + Nylon + Metal



**ALLOY CASING &
NYLON BRAIDED**

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA007

Type: USB-A to USB-C

Current: 3A

Length: 100 cm

Material: PVC + Nylon + Metal

Model No.: ACBA009

Type: USB-C to USB-C

Current: 3A

Power Delivery: 60W Max

Length: 100 cm

Material: PVC + Nylon + Metal

Model No.: ACBA008

Type: USB-A to Lightning

Current: 2.4A

Length: 100 cm

Material: PVC + Nylon + Metal


Model No.: ACBA010

Type: USB-C to Lightning

Power Delivery: 27W Max

Length: 100 cm

Material: PVC + Nylon + Metal



**ALLOY CASING &
NYLON BRAIDED**

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA011

Type: USB-A to USB-C

Power Delivery: 18W Max

Length: 100cm

Material: PVC + Nylon + Metal

Model No.: ACBA013

Type: USB-C to USB-C

Current: 5A

Power Delivery: 100W Max

Length: 100cm

Material: PVC + Nylon + Metal

Model No.: ACBA012

Type: USB-A to Lightning

Power Delivery: 18W Max

Length: 100cm

Material: PVC + Nylon + Metal

Model No.: ACBA014

Type: USB-C to Lightning

Power Delivery: 30W Max

Length: 100cm

Material: PVC + Nylon + Metal



**15W AIR VENT
WIRELESS CHARGER**

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ LED INDICATOR LIGHT
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA015

Type: USB-A to USB-C

Current: 2.4A

Power Delivery: 12W Max

Length: 100cm

Material: PVC+Nylon+LED
light+Metal

Model No.: ACBA017

Type: USB-C to USB-C

Power Delivery: 60W Max

Length: 100cm

Material: PVC+Nylon+LED
light+Metal

Model No.: ACBA016

Type: USB-A to Lightning

Current: 2.4A

Power Delivery: 12W Max

Length: 100cm

Material: PVC+Nylon+LED
light+Metal


Model No.: ACBA018

Type: USB-C to Lightning

Power Delivery: 27W Max

Length: 100cm

Material: PVC+Nylon+LED
light+Metal



LED INDICATOR
ALLOY CASING NYLON BRAIDED

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ LED INDICATOR LIGHT
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA019

Type: USB-A to USB-C

Current: 2.4A

Power Delivery: 12W Max

Length: 100cm

Material: PVC + Nylon + Metal

Model No.: ACBA021

Type: USB-C to USB-C

Current: 3A

Power Delivery: 60W Max

Length: 100cm

Material: PVC + Nylon + Metal

Model No.: ACBA020

Type: USB-A to Lightning

Current: 2.4A

Power Delivery: 12W Max

Length: 100cm

Material: PVC + Nylon + Metal


Model No.: ACBA022

Type: USB-C to Lightning

Power Delivery: 30W Max

Length: 100cm

Material: PVC + Nylon + Metal



POWER DISPLAY
ALLOY CASING NYLON BRAIDED

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ REAL-TIME LED POWER DISPLAY
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA023

Type: USB-A to USB-C

Current: 2.4A

Power Delivery: 12W Max

Length: 100cm

Material: Braided+Aluminum
Alloy

Model No.: ACBA025

Type: USB-C to USB-C

Current: 3A

Power Delivery: 60W Max

Length: 100cm

Material: Braided+Aluminum
Alloy

Model No.: ACBA024

Type: USB-A to Lightning

Current: 2.4A

Power Delivery: 12W Max

Length: 100cm

Material: Braided+Aluminum
Alloy


Model No.: ACBA026

Type: USB-C to Lightning

Power Delivery: 30W Max

Length: 100cm

Material: Braided+Aluminum
Alloy



RUNNING LIGHT **ALLOY CASING NYLON BRAIDED**

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ RUNNING LIGHT DESIGN
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA027

Type: USB-A to USB-C

Power Delivery: 18W Max

Length: 100cm

Material: Braided+Aluminum Alloy

Model No.: ACBA029

Type: USB-C to USB-C

Current: 3A

Power Delivery: 60W Max

Length: 100cm

Material: Braided+Aluminum Alloy

Model No.: ACBA028

Type: USB-A to Lightning

Power Delivery: 18W Max

Length: 100cm

Material: Braided+Aluminum Alloy


Model No.: ACBA030

Type: USB-C to Lightning

Power Delivery: 30W Max

Length: 100cm

Material: Braided+Aluminum Alloy



**COLORFUL ELECTRIC PLATING
ALLOY CASING NYLON BRAIDED**

MAIN FEATURE

- ◆ GRADIENT ALLOY CASING & NYLON BRAIDED
- ◆ MULTIPLE CONNECTOR OPTIONS
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA031

Type: USB-A to USB-C

Power Delivery: 18W Max

Length: 100cm

Material: Braided+Aluminum Alloy

Model No.: ACBA033

Type: USB-C to USB-C

Current: 5A

Power Delivery: 100W Max

Length: 100cm

Material: Braided+Aluminum Alloy

Model No.: ACBA032

Type: USB-A to Lightning

Power Delivery: 18W Max

Length: 100cm

Material: Braided+Aluminum Alloy


Model No.: ACBA034

Type: USB-C to Lightning

Power Delivery: 30W Max

Length: 100cm

Material: Braided+Aluminum Alloy



**ULTRA THIN FLAT
ZINC ALLOY CASING**

MAIN FEATURE

- ◆ ULTRA-THIN FLAT NYLON BRAIDED & ZINC ALLOY CASING
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 100W/30W MAX PD FAST CHARGING
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA035

Type: USB-C to USB-C

Current: 5A

Power Delivery: 100W Max

Length: 100cm

Material: Flat Braided+Zinc Alloy

Model No.: ACBA036

Type: USB-C to Lightning

Power Delivery: 30W Max

Length: 100cm

Material: Flat Braided+Zinc Alloy



**ALLOY CASING &
NYLON BRAIDED**

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 100W/30W MAX PD FAST CHARGING
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA037

Type: USB-C to USB-C

Current: 5A

Power Delivery: 100W Max

Length: 100cm

Material: Alloy Casing + Nylon

Braided

Model No.: ACBA038

Type: USB-C to Lightning

Power Delivery: 30W Max

Length: 100cm

Material: Alloy Casing + Nylon

Braided



CARPLAY SPRING DESIGN DATA & CHARGING

MAIN FEATURE

- ◆ PU SPRING WIRE & ALUMINUM ALLOY CASING
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ SPRING RETRACTABLE TANGLE-FREE CAR DEDICATED
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBA041
Type: USB-A to USB-C
Power Delivery: 18W Max
Length: 100cm
Material: PU Spring Wire
+Aluminum Alloy

Model No.: ACBA043
Type: USB-C to USB-C
Current: 3A
Power Delivery: 60W Max
Length: 100cm
Material: PU Spring Wire
+Aluminum Alloy

Model No.: ACBA042
Type: USB-A to Lightning
Power Delivery: 18W Max
Length: 100cm
Material: PU Spring Wire
+Aluminum Alloy

Model No.: ACBA044
Type: USB-C to Lightning
Power Delivery: 30W Max
Length: 100cm
Material: PU Spring Wire
+Aluminum Alloy



FOLDABLE PHONE HOLDER ALLOY CASING

MAIN FEATURE

- ◆ FOLDABLE 2-IN-1 PHONE HOLDER DESIGN
- ◆ PD 60W FAST CHARGE
- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ UNIVERSAL COMPATIBILITY

SPECIFICATION

Model No.: ACBA045

Type: USB-C to USB-C


Current: 3A

Power Delivery: 60W Max

Length: 100cm

Material: Alloy Casing + Nylon

Braided



**PD 140W
DUAL USB-C TO USB-C**

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 2-IN-1 140W PD HIGH POWER FAST CHARGE
- ◆ UNIVERSAL COMPATIBILITY

SPECIFICATION

Model No.: ACBM01


Type: USB-C to USB-C&USB-C

Power Delivery: 140W EACCH0 USB-C
to USB-C

Length: 120cm

Material: Alloy Casing + Nylon

Braided



3-IN 1 MULTI FUNCTION
ALLOY CASING NYLON BRAIDED

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 3-IN-1 MULTI-INTERFACE & 3A FAST CHARGING
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBM02

Type: USB-A/USB-C to USB-C &

Lightning & Micro USB

Current: 3A Max

Length: 100 cm

Data Transfer: 480Mbps

Material: PVC + Nylon + Metal



5-IN 1 MULTI FUNCTION ALLOY CASING NYLON BRAIDED

MAIN FEATURE

- ◆ ALLOY CASING & NYLON BRAIDED
- ◆ PREMIUM WORKMANSHIP & DURABLE QUALITY
- ◆ 5-IN-1 MULTI-INTERFACE & 3A FAST CHARGING
- ◆ 15000+ BENDING TEST

SPECIFICATION

Model No.: ACBM03

Type: USB-A/USB-C to USB-C &

Lightning & Micro USB

Current: 3A Max

Length: 100 cm

Data Transfer: 480Mbps

Material: PVC + Nylon + Metal

APACHE



IN-CAR WIRELESS CHARGER



DESKTOP WIRELESS CHARGER



**MULTI-FUNCTION
WIRELESS CHARGER**

**WIRELESS
CHARGER**





15W AIR VENT WIRELESS CHARGER

MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ AIR VENT CLIP MOUNT
- ◆ RGB AMBIENT LIGHT

SPECIFICATION

Model No.: AWLC001

Input: 9V=3A

Output: Wireless 15W Max

Material: ABS

Size: $\phi 62\text{mm}$



15W AIR VENT WIRELESS CHARGER

MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ STRONG MAGNETIC SUCTION
- ◆ PREMIUM ALUMINUM ALLOY
- ◆ RGB AMBIENT LIGHT

SPECIFICATION

Model No.: AWLC002

Input: 9V=2A 12V=2A

Output: Wireless 15W Max

Material: Aluminum Alloy+ABS+PC

Size: $\phi 58\text{mm}$



15W AIR VENT MAGSAFE WIRELESS CHARGER

MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ STRONG MAGNETIC SUCTION
- ◆ PREMIUM ALUMINUM ALLOY

SPECIFICATION

Model No.: AWLC003

Input: 9V=2A 9V=3A

Output: Wireless 15W Max

Material: Aluminum Alloy+ABS

Size: 340*260*155mm



15W AIR VENT MAGSAFE WIRELESS CHARGER

MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ STRONG MAGNETIC SUCTION
- ◆ PREMIUM ALUMINUM ALLOY

SPECIFICATION

Model No.: AWLC004

Input: 9V=2A 9V=3A

Output: Wireless 15W Max

Material: Aluminum Alloy+ABS/Acrylic

Size: 340*260*170mm



15W AIR VENT MAGSAFE WIRELESS CHARGER

MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ AIR VENT CLIP MOUNT
- ◆ STRONG MAGNETIC SUCTION

SPECIFICATION

Model No.: AWLC005

Input: 5V=3A 9V=2A

Output: Wireless 15W Max

Cable: USB-A to C 1M/2A

Material: ABS



15W AIR VENT WIRELESS CHARGER

MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ INFRARED & TOUCH SENSOR
- ◆ AUTOMATIC MECHANICAL CLAMP

SPECIFICATION

Model No.: AWLC006

Input: 5V=2A 9V=2A

Output: Wireless 15W Max

Material: ABS+Acrylic

Size: 130*65*24mm



15W AIR VENT WIRELESS CHARGER

MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ ELECTRIC VEHICLE COMPATIBLE
- ◆ AUTOMATIC MECHANICAL CLAMP
- ◆ PREMIUM ACRYLIC DESIGN

SPECIFICATION

Model No.: AWLC007

Input: 5V=2A 9V=2A

Output: Wireless 15W Max

Material: ABS+Acrylic



QI2 15W VACUUM SUCTION WIRELESS CHARGER

MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ STRONG MAGNETIC SUCTION
- ◆ POWERFUL SUCTION CUP MOUNT
- ◆ RGB AMBIENT LIGHT

SPECIFICATION

Model No.: AWLC008

Input: 5V=3A 9V=3A 12V=3A 15V=3A

Output: Wireless 15W Max

Material: ABS



3-IN-1 WIRELESS CHARGER PHONE/WATCH/AIRPODS

MAIN FEATURE

- ◆ 4-IN-1 MULTI-FUNCTION DESIGN
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ RGB AMBIENT LIGHT
- ◆ INTEGRATED PHONE HOLDER

SPECIFICATION

Model No.: AWLD001

Input: 5V=3A 9V=3A

Output: 3W/5W/7.5W/10W/15W(15W Max)

Material: ABS+PC

Size: 65*65*90mm



MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ FOLDABLE SPACE-SAVING DESIGN
- ◆ MULTI-DEVICE CHARGING SUPPORTED

SPECIFICATION

Model No.: AWLD002

Input: 5V=2A 9V=2A

Frequency: 100-200Khz

Output: 3W/5W/7.5W/10W/15W(15W Max)

Material: ABS

**3-IN-1 WIRELESS CHARGER
PHONE/WATCH/AIRPODS**



3-IN-1 WIRELESS CHARGER PHONE/WATCH/AIRPODS

MAIN FEATURE

- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ FOLDABLE SPACE-SAVING DESIGN
- ◆ MULTI-DEVICE CHARGING SUPPORTED

SPECIFICATION

Model No.: AWLD003

Input: 5V=3A 9V=3A

Output: 3W/5W/7.5W/10W/15W(15W Max)

Material: ABS



3-IN-1 WIRELESS CHARGER PHONE/WATCH/AIRPODS

MAIN FEATURE

- ◆ 3-IN-1 MULTI-DEVICE CHARGING
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ SLEEK ALLOY & ABS CASING

SPECIFICATION

Model No.: AWLD004

Input: 5V=3A 9V=3A

Output: 3W/5W/7.5W/10W/15W(15W Max)

Size: 112*97*155mm

Material: ABS



3-IN-1 WIRELESS CHARGER PHONE/WATCH/AIRPODS

MAIN FEATURE

- ◆ 3-IN-1 FOLDABLE WIRELESS CHARGER
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ DUAL-MODE FOR APPLE & SAMSUNG WATCH
- ◆ COMPACT FOLDABLE DESIGN

SPECIFICATION

Model No.: AWLD005

Input: 5V=3A 9V=3A

Output: 3W/5W/7.5W/10W/15W(15W Max)

Size: 103*63*24.5mm

Material: ABS

Dual-Module Charger for Apple & SamsungGalaxy Watch



3-IN-1 WIRELESS CHARGER PHONE/WATCH/AIRPODS

MAIN FEATURE

- ◆ 3-IN-1 FOLDABLE WIRELESS CHARGER
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ DUAL-MODE FOR APPLE & SAMSUNG WATCH
- ◆ COMPACT FOLDABLE DESIGN

SPECIFICATION

Model No.: AWLD006

Input: 5V=3A 9V=3A

Output: 3W/5W/7.5W/10W/15W(15W Max)

Size: 103*63*24.5mm

Material: ABS

Dual-Module Charger for Apple & SamsungGalaxy Watch



2-IN-1 WIRELESS CHARGER LED LAMP

MAIN FEATURE

- ◆ 2-IN-1 DESK LAMP & WIRELESS CHARGER
- ◆ 10W MAX WIRELESS FAST CHARGE
- ◆ FLEXIBLE ADJUSTABLE DESK LAMP

SPECIFICATION

Model No.: AWLM001

Input: 5V=2A 9V=2A

Output: Wireless 10W Max

Size: 160*85*268mm

Material: ABS



3-IN-1 WIRELESS CHARGER LED LAMP

MAIN FEATURE

- ◆ 3-IN-1 MULTI-FUNCTION DESIGN
- ◆ 10W MAX WIRELESS FAST CHARGE
- ◆ BUILT-IN PEN HOLDER
- ◆ FLEXIBLE ADJUSTABLE DESK LAMP

SPECIFICATION

Model No.: AWLM002

Input: 5V=2A 9V=2A

Output: Wireless 10W Max

Size: 160*85*268mm

Material: ABS



4-IN-1 WIRELESS CHARGER PHONE/WATCH/AIRPODS

MAIN FEATURE

- ◆ 4-IN-1 MULTI-FUNCTION DESIGN
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ ADJUSTABLE PHONE STAND
- ◆ FLEXIBLE ADJUSTABLE DESK LAMP

SPECIFICATION

Model No.: AWLM003

Input: 5V=3A 9V=3A

Output: 3W/5W/7.5W/10W/15W(15W Max)

Material: ABS



3-IN-1 WIRELESS CHARGER LED LAMP & CLOCK

MAIN FEATURE

- ◆ 3-IN-1 TABLE LAMP, CLOCK & WIRELESS CHARGER
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ FLEXIBLE ADJUSTABLE DESK LAMP
- ◆ CLOCK OR AUDIO FUNCTION OPTIONAL

SPECIFICATION

Model No.: AWLM004

Input: 5V=3A 9V=2A

Output: 15W (15W Max)

Unit Size: 340*260*155mm

Material: ABS



3-IN-1 WIRELESS CHARGER BLUETOOTH SPEAKER

MAIN FEATURE

- ◆ 3-IN-1 AUDIO & WIRELESS CHARGER
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ BUILT-IN BLUETOOTH 5.4 SPEAKER
- ◆ RGB AMBIENT LIGHT

SPECIFICATION

Model No.: AWLM005

Input: 5V=3A 9V=2A

Output: 15W (15W Max)

Bluetooth Version: JL V5.4

Speaker Power: 4Ω3W*1

Battery Capacity: 800mAh

Material: ABS+PC+Cloth

Size: 79*91*115mm

Weight: 206g



MAIN FEATURE

- ◆ 4-IN-1 MULTI-FUNCTION CHARGER
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ BUILT-IN DIGITAL CLOCK & PHONE HOLDER
- ◆ COMPACT FOLDABLE DESIGN

SPECIFICATION

Model No.: AWLM006

Input: 5V=3A 9V=3A

Output: 3W/5W/7.5W/10W/15W(15W Max)

Material: ABS

Size: 162*97*41mm

**4-IN-1 WIRELESS CHARGER
DIGITAL CLOCK**



4-IN-1 WIRELESS CHARGER DIGITAL CLOCK

MAIN FEATURE

- ◆ 4-IN-1 CLOCK & WIRELESS CHARGER
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ BUILT-IN DIGITAL CLOCK
- ◆ COMPACT FOLDABLE DESIGN

SPECIFICATION

Model No.: AWLM007

Input: 5V=3A 9V=2A 12V=1.5A

Output: 3W/5W/7.5W/10W/15W(15W Max)

Material: ABS

Size: 116*66*30mm

Weight: 200g



5-IN-1 WIRELESS CHARGER BLUETOOTH SPEAKER

MAIN FEATURE

- ◆ 5-IN-1 MULTI-FUNCTION DESIGN
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ BUILT-IN BLUETOOTH 5.4 SPEAKER
- ◆ RGB AMBIENT LIGHT & PHONE STAND

SPECIFICATION

Model No.: AWLM008

Input: 5V=3A 9V=3A

Output: 3W/5W/7.5W/10W/15W(15W Max)



Bluetooth Version: JL V5.4

Speaker Power: 5W

Battery Capacity: 1800mAh

Size: 95*105*145mm

Material: ABS



2-IN-1 WIRELESS CHARGING MOUSE PAD

MAIN FEATURE

- ◆ 2-IN-1 MOUSE PAD & WIRELESS CHARGER
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ RGB AMBIENT LIGHT
- ◆ LARGE DESK SURFACE SPACE

SPECIFICATION

Model No.: AWLM009

Input: 5V=3A 9V=3A

Output: 15W Max

Size: 800*300*3mm

Material: ABS+Foam Cotton



2-IN-1 WIRELESS CHARGER BLUETOOTH SPEAKER

MAIN FEATURE

- ◆ 2-IN-1 BLUETOOTH SPEAKER & WIRELESS CHARGER
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ BUILT-IN BLUETOOTH DUAL-SPEAKERS

SPECIFICATION

Model No.: AWLM010

Output: 5V=3A 9V=3A

Output: 15W Max

Bluetooth Version: JL V5.4

Speaker Power: 10W

Size: 118*137*99mm

Material: ABS



8-IN-1 MUTLI-FUNCTION WIRELESS CHARGER

MAIN FEATURE

- ◆ 8-IN-1 MULTI-FUNCTION WIRELESS CHARGER
- ◆ 15W MAX WIRELESS FAST CHARGE
- ◆ BUILT-IN BLUETOOTH SPEAKER & FM RADIO
- ◆ DIGITAL ALARM CLOCK & TEMPERATURE DISPLAY
- ◆ RGB AMBIENT LIGHT & PHONE STAND

SPECIFICATION

Model No.: AWLM011

Output: 5V=3A 9V=3A

Output: 15W Max

Bluetooth Version: JL V5.4

Speaker Power: 5W

Battery Capacity: 1800mAh

Size: 239*122*158mm

Material: ABS

APACHE

AUDIO



WIRED EARPHONES



TWS/OWS EARBUDS



OVER-EAR HEADPHONES



NECKBAND HEADPHONES



BLUETOOTH SPEAKER



**CLASSIC APPLE DESIGN
3.5MM/USB-C/LIGHTNING**

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE001/AWRE002/AWRE003

Material: ABS + TPE

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 Khz

Cable Length: 120 cm



**CLASSIC APPLE DESIGN
3.5MM/USB-C/LIGHTNING**

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE004/AWRE005/AWRE006

Material: ABS + TPE + Silicone

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



HD STEREO & ABS CASING
3.5MM/USB-C/LIGHTNING

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE007/AWRE008/AWRE009

Material: ABS + PVC

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



HD STEREO & ABS CASING
3.5MM/USB-C/LIGHTNING

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE010/AWRE011/AWRE012

Material: PVC + TPE + Nylon Braided

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



**HD STEREO & ABS CASING
3.5MM/USB-C/LIGHTNING**

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE013/AWRE014/AWRE015

Material: ABS + TPE + Silicone

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE016/AWRE017/AWRE018

Material: ABS + TPE + Alloy

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



HD STEREO & ALLOY CASING
3.5MM/USB-C/LIGHTNING

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE019/AWRE020/AWRE021

Material: ABS + TPE +Alloy

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



HD STEREO & ALLOY CASING
3.5MM/USB-C/LIGHTNING

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE022/AWRE023/AWRE024

Material: ABS + TPE +Alloy

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



HD STEREO & ALLOY CASING
3.5MM/USB-C/LIGHTNING

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE025/AWRE026/AWRE027

Material: ABS + TPE +Alloy

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



**HD STEREO & ALLOY CASING
3.5MM/USB-C/LIGHTNING**

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE028/AWRE029/AWRE030

Material: ABS +Alloy + Nylon Braided

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



**HD STEREO & ALLOY CASING
3.5MM/USB-C/LIGHTNING**

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE031/AWRE032/AWRE033

Material: ABS + TPE +Alloy

Type: 3.5mm /USB-C/Lightning In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



HD STEREO & ALLOY CASING
3.5MM/USB-C/LIGHTNING

MAIN FEATURE

- ◆ ONE-TOUCH REMOTE CONTROL & HD MIC
- ◆ REAL COPPER HORN
- ◆ INSTANT PLUG & PLAY
- ◆ HIFI & HD SOUND QUALITY
- ◆ 3 CONNECTOR OPTIONS (3.5MM / USB-C / LIGHTNING)

SPECIFICATION

Model No.: AWRE034/AWRE035/AWRE036

Material: ABS + TPE +Alloy

Type: USB-C In-Ear

Impedance: $32\Omega \pm 20\%$

Frequency Response: 20 Hz - 20 KHz

Cable Length: 120 cm



**HD STEREO
TRUE WIRELESS EARBUDS**

MAIN FEATURE

- ◆ V6.0 BLUETOOTH & REAL BRASS RING HORN
- ◆ 4H PLAY TIME
- ◆ HD STEREO

SPECIFICATION

Model No.: ATOE001

Material: ABS

Bluetooth Version: V6.0

Speaker: Real Brass Ring Horn

Battery (Charging Case): 220mAh

Battery (Earbuds): 28mAh 3.7V

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1.5 hours

Playing Time: 4 hours

Talking Time: 3 hours

Bluetooth Distance: 15M

Charging Port: USB-C



**HD STEREO
TRUE WIRELESS EARBUDS**

MAIN FEATURE

- ◆ V5.4 BLUETOOTH & REAL BRASS RING HORN
- ◆ 3-4H PLAY TIME
- ◆ HD STEREO

SPECIFICATION

Model No.: ATOE002

Material: ABS + PC

Bluetooth Version: V5.4

Speaker: Real Brass Ring Horn

Battery (Charging Case): 200mAh

Battery (Earbuds): 30mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): About 1 hours

Playing Time: 3-4 hours



**HD STEREO
TRUE WIRELESS EARBUDS**

MAIN FEATURE

- ◆ V6.0 BLUETOOTH & REAL BRASS RING HORN
- ◆ 6H PLAY TIME
- ◆ HD STEREO

SPECIFICATION

Model No.: ATOE003

Material: ABS

Bluetooth Version: V6.0

Speaker: Real Brass Ring Horn

Battery (Charging Case): 180mAh

Battery (Earbuds): 40mAh 3.7V

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 6 hours

Talking Time: 5 hours

Bluetooth Distance: 15M

Charging Port: USB-C



**HD STEREO
TRUE WIRELESS EARBUDS**

MAIN FEATURE

- ◆ V5.3 BLUETOOTH & REAL BRASS RING HORN
- ◆ 5H PLAY TIME
- ◆ HD STEREO

SPECIFICATION

Model No.: ATOE004

Material: ABS

Bluetooth Version: V5.3

Speaker: Real Brass Ring Horn

Battery (Charging Case): 200mAh

Battery (Earbuds): 20mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 5 hours

Charging Port: USB-C



TRUE WIRELESS EARBUDS
WIRELESS CHARGING

MAIN FEATURE

- ◆ V5.3 BLUETOOTH & REAL BRASS RING HORN
- ◆ 4H PLAY TIME
- ◆ WIRELESS CHARGING
- ◆ HD STEREO

SPECIFICATION

Model No.: ATOE005

Material: ABS

Bluetooth Version: V5.3

Speaker: Real Brass Ring Horn

Battery (Charging Case): 280mAh

Battery (Earbuds): 25mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 4 hours

Standby Time: 50 hours

Charging Port: Lightning



**TRUE WIRELESS EARBUDS
ANC&WIRELESS CHARGING**

MAIN FEATURE

- ◆ V5.3 BLUETOOTH & REAL BRASS RING HORN
- ◆ 4H PLAY TIME
- ◆ WIRELESS CHARGING
- ◆ HD STEREO

SPECIFICATION

Model No.: ATOE006

Material: ABS

Bluetooth Version: V5.3

Speaker: Real Brass Ring Horn

Battery (Charging Case): 280mAh

Battery (Earbuds): 25mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 4 hours

Standby Time: 50 hours

Charging Port: Lightning



HD STEREO
TRUE WIRELESS EARBUDS

MAIN FEATURE

- ◆ V5.4 BLUETOOTH & REAL BRASS RING HORN
- ◆ 5H PLAY TIME
- ◆ ELECTROPLATING FINISH
- ◆ HD STEREO

SPECIFICATION

Model No.: ATOE007

Material: ABS + Silicone

Bluetooth Version: V5.4

Speaker: Real Brass Ring Horn

Battery (Charging Case): 300mAh

Battery (Earbuds): 30mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 5 hours

Charging Port: USB-C



**ANC NOISE CANCELLING
TRUE WIRELESS EARBUDS**

MAIN FEATURE

- ◆ ANC NOISE CANCELLING
- ◆ V6.0 BLUETOOTH & REAL BRASS RING HORN
- ◆ 4.5H PLAY TIME
- ◆ HD STEREO

SPECIFICATION

Model No.: ATOE008

Material: ABS

Bluetooth Version: V6.0

Speaker: Real Brass Ring Horn

Battery (Charging Case): 220mAh

Battery (Earbuds): 28mAh 3.7V

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1.5 hours

Playing Time: 4.5 hours

Talking Time: 3.5 hours

Bluetooth Distance: 15M

Charging Port: USB-C



**HD STEREO
TRUE WIRELESS EARBUDS**

MAIN FEATURE

- ◆ V5.3 BLUETOOTH & REAL BRASS RING HORN
- ◆ 6H PLAY TIME & LED POWER DISPLAY

SPECIFICATION

Model No.: ATOE009

Material: ABS + PC

Bluetooth Version: V5.3

Speaker: Real Brass Ring Horn

Battery (Charging Case): 300mAh

Battery (Earbuds): 30mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 6 hours

Charging Port: USB-C



**ANC NOISE CANCELLING
TRUE WIRELESS EARBUDS**

MAIN FEATURE

- ◆ ANC NOISE CANCELLING
- ◆ V6.0 BLUETOOTH & REAL BRASS RING HORN
- ◆ 4.5H PLAY TIME
- ◆ LED POWER INDICATOR

SPECIFICATION

Model No.: ATOE010

Material: ABS

Bluetooth Version: V6.0

Speaker: Real Brass Ring Horn

Battery (Charging Case): 220mAh

Battery (Earbuds): 28mAh 3.7V

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1.5 hours

Playing Time: 4.5 hours

Talking Time: 3.5 hours

Bluetooth Distance: 15M

Charging Port: USB-C



**ANC & ENC
NOISE CANCELING**

MAIN FEATURE

- ◆ ANC & ENC NOISE CANCELLING
- ◆ V5.3 BLUETOOTH & REAL BRASS RING HORN
- ◆ 6H PLAY TIME
- ◆ INDICATOR LIGHT

SPECIFICATION

Model No.: ATOE011

Material: ABS

Bluetooth Version: V5.3

Speaker: Real Brass Ring Horn

Battery (Charging Case): 300mAh

Battery (Earbuds): 30mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 6 hours

Charging Port: USB-C



ANC & ENC
FULL ZINC ALLOY CASING

MAIN FEATURE

- ◆ ANC & ENC NOISE CANCELLING
- ◆ V5.4 BLUETOOTH & REAL BRASS RING HORN
- ◆ 4.5H PLAY TIME
- ◆ FULL ZINC ALLOY CASING

SPECIFICATION

Model No.: ATOE012

Material: Zinc Alloy+ABS

Bluetooth Version: 5.4

Speaker: Real Brass Ring Horn

Battery (Charging Case): 300mAh

Battery (Earbuds): 30mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1.2 hours

Playing Time: 4-5 hours



HD STEREO
FULL ZINC ALLOY CASING

MAIN FEATURE

- ◆ V5.4 BLUETOOTH & REAL BRASS RING HORN
- ◆ 4-5H PLAY TIME
- ◆ FULL ZINC ALLOY CASING
- ◆ INDICATOR LIGHT

SPECIFICATION

Model No.: ATOE013

Material: Zinc Alloy+ABS

Bluetooth Version: V5.4

Speaker: Real Brass Ring Horn

Battery (Charging Case): 180mAh

Battery (Earbuds): 25mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1.2 hours

Playing Time: 4-5 hours



HD STEREO
FULL ZINC ALLOY CASING

MAIN FEATURE

- ◆ V5.4 BLUETOOTH & REAL BRASS RING HORN
- ◆ 6H PLAY TIME
- ◆ FULL ZINC ALLOY CASING
- ◆ INDICATOR LIGHT

SPECIFICATION

Model No.: ATOE014

Material: Zinc Alloy+ABS

Bluetooth Version: V5.4

Speaker: Real Brass Ring Horn

Battery (Charging Case): 320mAh

Battery (Earbuds): 35mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1 hour

Playing Time: 6 hours



HD STEREO
FULL ZINC ALLOY CASING

MAIN FEATURE

- ◆ V5.4 BLUETOOTH & REAL BRASS RING HORN
- ◆ 4H PLAY TIME
- ◆ FULL ZINC ALLOY CASING
- ◆ INDICATOR LIGHT

SPECIFICATION

Model No.: ATOE015

Material: Zinc Alloy+ABS

Bluetooth Version: V5.4

Speaker: Real Brass Ring Horn


Battery (Charging Case): 250mAh

Battery (Earbuds): 35mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1.2 hours

Playing Time: 4 hours



CLIP-ON EARBUDS
FULL ZINC ALLOY CASING

MAIN FEATURE

- ◆ V6.0 BLUETOOTH & REAL BRASS RING HORN
- ◆ 4-5H PLAY TIME
- ◆ FULL ZINC ALLOY CASING
- ◆ CLIP-ON OPEN EARBUDS

SPECIFICATION

Model No.: ATOE016

Material: Zinc Alloy+ABS

Bluetooth Version: V6.0

Speaker: Real Brass Ring Horn

Battery (Charging Case): 250mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1.2 hours

Playing Time: 4-5 hours



HD STEREO CLIP-ON EARBUDS

MAIN FEATURE

- ◆ V5.4 BLUETOOTH & HD SOUND QUALITY
- ◆ CLIP-ON DESIGN & 5H PLAY TIME

SPECIFICATION

Model No.: ATOE017

Material: ABS + PC + Silicone

Bluetooth Version: V5.4

Speaker: Real Brass Ring Horn

Battery (Charging Case): 250mAh

Battery (Earbuds): 25mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 5 hours

Charging Port: USB-C



HD STEREO CLIP-ON EARBUDS

MAIN FEATURE

- ◆ V5.3 BLUETOOTH & HD SOUND QUALITY
- ◆ CLIP-ON DESIGN & 6H PLAY TIME

SPECIFICATION

Model No.: ATOE018

Material: ABS + PC + Silicone

Bluetooth Version: V5.3

Speaker: Real Brass Ring Horn

Battery (Charging Case): 200mAh

Battery (Earbuds): 30mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 6 hours

Charging Port: USB-C



HD STEREO CLIP-ON EARBUDS

MAIN FEATURE

- ◆ V6.0 BLUETOOTH & HD SOUND QUALITY
- ◆ CLIP-ON DESIGN & 5H PLAY TIME

SPECIFICATION

Model No.: ATOE019

Material: ABS

Bluetooth Version: V6.0

Speaker: Real Brass Ring Horn

Battery (Charging Case): 200mAh

Battery (Earbuds): 28mAh 3.7V

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 5 hours

Talking Time: 4 hours

Bluetooth Distance: 15M

Charging Port: USB-C



HD STEREO CLIP-ON EARBUDS

MAIN FEATURE

- ◆ V5.3 BLUETOOTH & HD SOUND QUALITY
- ◆ CLIP-ON DESIGN & 4-5H PLAY TIME

SPECIFICATION

Model No.: ATOE020

Material: ABS + PC

Bluetooth Version: V5.3

Speaker: Real Brass Ring Horn

Battery (Charging Case): 230mAh

Battery (Earbuds): 30mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1.5 hours

Playing Time: 4-5 hours

Charging Port: USB-C



HD STEREO CLIP-ON EARBUDS

MAIN FEATURE

- ◆ V6.0 BLUETOOTH & HD SOUND QUALITY
- ◆ CLIP-ON DESIGN & 4H PLAY TIME
- ◆ SMART LED DIGITAL BATTERY DISPLAY

SPECIFICATION

Model No.: ATOE021

Material: ABS

Bluetooth Version: V6.0

Speaker: Real Brass Ring Horn

Battery (Charging Case): 300mAh

Battery (Earbuds): 28mAh 3.7V

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 1.5 hours

Playing Time: 4 hours

Talking Time: 3 hours

Bluetooth Distance: 15M

Charging Port: USB-C



AIR CONDUCTION CLIP-ON EARBUDS

MAIN FEATURE

- ◆ AIR CONDUCTION
- ◆ V5.4 BLUETOOTH & HD SOUND QUALITY
- ◆ CLIP-ON DESIGN & 6H PLAY TIME

SPECIFICATION

Model No.: ATOE022

Material: ABS

Bluetooth Version: V5.4

Speaker: Real Brass Ring Horn

Battery (Charging Case): 300mAh

Battery (Earbuds): 40mAh 3.7V

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 6 hours

Talking Time: 5 hours

Bluetooth Distance: 15M

Charging Port: USB-C



HD STEREO OPEN-EAR HEADPHONES

MAIN FEATURE

- ◆ OPEN-EAR DESIGN & ADJUSTABLE EAR HOOKS
- ◆ V5.3 BLUETOOTH & 5H PLAY TIME
- ◆ SMART LED DIGITAL BATTERY DISPLAY

SPECIFICATION

Model No.: ATOE023

Material: ABS

Bluetooth Version: V5.3

Speaker: Real Brass Ring Horn

Battery (Charging Case): 200mAh

Battery (Earbuds): 35mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 5 hours

Charging Port: USB-C



**HD STEREO
OPEN-EAR HEADPHONES**

MAIN FEATURE

- ◆ OPEN-EAR DESIGN & ADJUSTABLE EAR HOOKS
- ◆ V5.4 BLUETOOTH & 5H PLAY TIME

SPECIFICATION

Model No.: ATOE024

Material: ABS

Bluetooth Version: V5.4

Speaker: Real Brass Ring Horn

Battery (Charging Case): 300mAh

Battery (Earbuds): 30mAh

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 5 hours

Charging Port: USB-C



HD STEREO OPEN-EAR HEADPHONES

MAIN FEATURE

- ◆ OPEN-EAR DESIGN & ADJUSTABLE EAR HOOKS
- ◆ V5.4 BLUETOOTH & 5H PLAY TIME
- ◆ SMART LED DIGITAL BATTERY DISPLAY

SPECIFICATION

Model No.: ATOE025

Material: ABS

Bluetooth Version: V5.4

Speaker: Real Brass Ring Horn

Battery (Charging Case): 300mAh

Battery (Earbuds): 28mAh 3.7V

Recharges: Up to 3 charges for earbuds

Charging Time (Charging Case): 2 hours

Playing Time: 5 hours

Talking Time: 4 hours

Bluetooth Distance: 15M

Charging Port: USB-C



50H PLAY TIME
HD STEREO & POWERFUL BASS

MAIN FEATURE

- ◆ 50H ULTRA-LONG PLAY TIME & HI-FI STEREO
- ◆ V5.3 BLUETOOTH & 20M EFFECTIVE DISTANCE
- ◆ OVER-EAR COMFORT DESIGN WITH 3.5MM AUX IN

SPECIFICATION

Model No.: AOEH001

Material: ABS + PU + Memory Foam

Bluetooth Version: V5.3

Frequency Response: 20 Hz - 20 Khz

Battery: 400 mAh

Playback Time: 50 hours

Charging Time: 2-3 hours

Bluetooth Effective Distance: 20M

Charging Port: USB-C

AUX line in: 3.5mm

Socket SNR: ≥ 95 dB



OVER-EAR HEADPHONES
HD STEREO & POWERFUL BASS

MAIN FEATURE

- ◆ V5.3 BLUETOOTH & HI-FI STEREO
- ◆ 10H LONG PLAY TIME
- ◆ OVER-EAR COMFORT DESIGN WITH MEMORY FOAM EARPADS

SPECIFICATION

Model No.: AOEH002

Material: Material: ABS + PU + Memory Foam

Bluetooth Version: V5.3

Frequency Response: 20 Hz - 20 Khz

Battery: 350 mAh

Playback Time: 10 hours

Charging Time: 2 hours

Bluetooth Effective Distance: 10M

Charging Port: USB-C



70H PLAY TIME
HD STEREO & POWERFUL BASS

MAIN FEATURE

- ◆ 70H ULTRA-LONG PLAY TIME
- ◆ V5.4 BLUETOOTH & HI-FI STEREO
- ◆ PREMIUM ALLOY CASING & POWERFUL BASS

SPECIFICATION

Model No.: AOEH003

Material: ABS+PC+TPE +AL Alloy

Bluetooth Version: V5.4

Frequency Response: 20 Hz - 20 Khz

Battery: 800 mAh

Playback Time: 70 hours

Charging Time: 2 hours

Bluetooth Effective Distance: ≥10M

Charging Port: USB-C

Standby Time: 133 hours



ANC NOISE CANCELLING
HD STEREO & POWERFUL BASS

MAIN FEATURE

- ◆ ANC NOISE CANCELLING
- ◆ V6.0 BLUETOOTH & HI-FI STEREO
- ◆ 28H LONG PLAY TIME & FAST CHARGING
- ◆ OVER-EAR COMFORT DESIGN WITH MEMORY FOAM EARPADS

SPECIFICATION

Model No.: AOH004

Material: ABS+PC+TPE +AL Alloy

Bluetooth Version: V6.0

Frequency Response: 20 Hz - 20 Khz

Battery: 300mAh

Playback Time: 28 hours

ANC Playback Time: 22 hours

Talking Time: 25 hours

Charging Time: 1.5 hours

Bluetooth Effective Distance: ≥10M

Charging Port: USB-C

Standby Time: 133 hours



ANC NOISE CANCELLING
HD STEREO & POWERFUL BASS

MAIN FEATURE

- ◆ ANC NOISE CANCELLING
- ◆ V6.0 BLUETOOTH & HI-FI STEREO
- ◆ 28H LONG PLAY TIME & FAST CHARGING
- ◆ OVER-EAR COMFORT DESIGN WITH MEMORY FOAM EARPADS

SPECIFICATION

Model No.: AOH005

Material: ABS+PC+TPE +AL Alloy

Bluetooth Version: V6.0

Frequency Response: 20 Hz - 20 Khz

Battery: 400mAh

Playback Time: 28 hours

ANC Playback Time: 22 hours

Talking Time: 25 hours

Charging Time: 1.5 hours

Bluetooth Effective Distance: ≥10M

Charging Port: USB-C

Standby Time: 133 hours



60H PLAY TIME
FULL SILICONE NECKBAND

MAIN FEATURE

- ◆ 60H LONG PLAY TIME & LED DISPLAY
- ◆ SD CARD SUPPORTED & HI-FI SOUND
- ◆ V5.0 BLUETOOTH & SILICONE NECKBAND
- ◆ LARGE BATTERY & FAST CHARGING

SPECIFICATION

Model No.: ANBH001

Material: ABS+Silicone+Metal

Bluetooth Version: V5.0

Frequency Response: 20 Hz - 20 Khz

Battery: 500 mAh

Standby Time: 100 hours

Playing Time: 60 hours

Charging Time: 2 hours

Bluetooth Effective Distance: ≤10M

Charging Port: USB-C



20H PLAY TIME
FULL SILICONE NECKBAND

MAIN FEATURE

- ◆ V5.4 BLUETOOTH & HI-FI STEREO SOUND
- ◆ 20H PLAY TIME & 800H STANDBY TIME
- ◆ COMFORTABLE SILICONE NECKBAND DESIGN

SPECIFICATION

Model No.: ANBH002

Material: ABS+Silicone+Metal

Bluetooth Version: V5.4

Frequency Response: 20 Hz - 20 Khz

Battery: 180 mAh

Standby Time: 800 hours

Playing Time: 20 hours

Charging Time: 2 hours

Bluetooth Effective Distance: ≤10M

Charging Port: USB-C



50H PLAY TIME
FULL SILICONE NECKBAND

MAIN FEATURE

- ◆ 50H LONG PLAY TIME & 800H STANDBY TIME
- ◆ V5.4 BLUETOOTH & HI-FI STEREO SOUND
- ◆ COMFORTABLE SILICONE NECKBAND DESIGN

SPECIFICATION

Model No.: ANBH003

Material: ABS+Silicone+Metal

Bluetooth Version: V5.4

Frequency Response: 20 Hz - 20 KHz

Battery: 400 mAh

Standby Time: 800 hours

Playing Time: 50 hours

Charging Time: 2 hours

Bluetooth Effective Distance: ≤10M

Charging Port: USB-C



20H PLAY TIME
FULL SILICONE NECKBAND

MAIN FEATURE

- ◆ 20H PLAY TIME & 400H STANDBY TIME
- ◆ V5.4 BLUETOOTH & HI-FI STEREO SOUND
- ◆ COMFORTABLE GENUINE SILICONE NECKBAND

SPECIFICATION

Model No.: ANBH004

Material: ABS+Silicone+Metal

Bluetooth Version: V5.4

Frequency Response: 20 Hz - 20 Khz

Battery: 180 mAh

Standby Time: 400 hours

Playing Time: 20 hours

Charging Time: 2 hours

Bluetooth Effective Distance: ≤10M

Charging Port: USB-C



**10W DUAL SPEAKER
SUPER BASS & HIFI**

MAIN FEATURE

- ◆ 10W DUAL DRIVE & SUPER BASS SOUND
- ◆ 4H PLAY TIME
- ◆ V5.3 BLUETOOTH & MULTI-MODE CONNECTION
- ◆ RGB LIGHT & PORTABLE HAND STRAP

SPECIFICATION

Model No.: ABTS001

Function: BT/TWS/AUX/TF/USB/FM/Hands-Free/RGB

Bluetooth Version: V5.3

Material: ABS+Cloth

Battery Capacity: 1500mAh

Standby Time: 300 hours

Playing Time: 4 hours

Charging Time: 2.5 hours

Output Power: 5W*2

Dimension: 220*70*80mm

Weight: 735g



**5W POWERFUL BASS
AMBIENT LIGHT**

MAIN FEATURE

- ◆ 5W POWER & SUPER BASS HD SOUND
- ◆ 5H PLAY TIME
- ◆ V5.3 BLUETOOTH & MULTI-FUNCTION MODES
- ◆ RGB AMBIENT LIGHT & PORTABLE LANYARD

SPECIFICATION

Model No.: ABTS002

Function: BT/TWS/TF/FM/USB/Hands-Free/RGB

Bluetooth Version: V5.3

Material: ABS+PC+Cloth

Battery Capacity: 1200mAh

Standby Time: 300 hours

Playing Time: 5 hours

Charging Time: 2 hours

Output Power: 4Ω5W*1

Dimension: 120*120*65mm

Weight: 220g

Color: Black, Red, Blue, Green, Gray



**5W POWERFUL BASS
AMBIENT LIGHT**

MAIN FEATURE

- ◆ 5W POWER & SUPER BASS HD SOUND
- ◆ 3H PLAY TIME
- ◆ V5.1 BLUETOOTH & MULTI-FUNCTION MODES
- ◆ RGB AMBIENT LIGHT & COMPACT DESIGN

SPECIFICATION

Model No.: ABTS003

Function: BT/FM/USB/TWS+Hands-Free

Bluetooth Version: V5.1

Material: ABS+Fabric

Battery Capacity: 800mAh

Standby Time: 250 hours


Playing Time: 3 hours

Charging Time: 1.5 hours

Output Power: 4Ω5W*1

Dimension: Φ74*118mm

Weight: 350g



**10W DUAL SPEAKER
SUPER BASS & HD SOUND**

MAIN FEATURE

- ◆ 10W DUAL DRIVER & SUPER BASS HD SOUND
- ◆ 4H PLAY TIME
- ◆ V5.1 BLUETOOTH & MULTI-FUNCTION MODES
- ◆ RGB AMBIENT LIGHT & PORTABLE DESIGN

SPECIFICATION

Model No.: ABTS004

Function: BT/FM/USB/TWS+Hands-Free

Bluetooth Version: V5.1

Material: ABS+Fabric

Battery Capacity: 1200mAh

Standby Time: 300 hours

Playing Time: 4 hours

Charging Time: 2 hours

Output Power: 4Ω5W*2

Dimension: Φ85*165mm

Weight: 450g



**10W DUAL SPEAKER
SUPER BASS & HD SOUND**

MAIN FEATURE

- ◆ 10W DUAL DRIVER & SUPER BASS HD SOUND
- ◆ 4H PLAY TIME
- ◆ V5.1 BLUETOOTH & MULTI-FUNCTION MODES
- ◆ RGB AMBIENT LIGHT & PORTABLE LANYARD

SPECIFICATION

Model No.: ABTS005

Function: BT/TF/USB/FM/AUX/TWS/Hands-Free

Bluetooth Version: V5.1

Material: ABS+Cloth

Battery Capacity: 1200mAh

Standby Time: 300 hours


Playing Time: 4 hours

Charging Time: 2 hours

Output Power: 4Ω5W*2

Dimension: 178*68*72mm

Weight: 620g



5W POWERFUL BASS

MAIN FEATURE

- ◆ 5W POWER & SUPER BASS HD SOUND
- ◆ 5H PLAY TIME
- ◆ V5.3 BLUETOOTH & MULTI-FUNCTION MODES
- ◆ COMPACT DESIGN & PORTABLE LANYARD

SPECIFICATION

Model No.: ABTS006

Function: BT/TF/FM/TWS+Hands-Free

Bluetooth Version: V5.3

Material: ABS+Cloth

Battery Capacity: 1200mAh

Standby Time: 300 hours

Playing Time: 5 hours (Max Volume)

Charging Time: 2 hours

Output Power: 4Ω5W*1

Dimension: 110*110*53mm

Weight: 260g



5W POWERFUL BASS

MAIN FEATURE

- ◆ 3W MINI & PORTABLE LANYARD
- ◆ SUPER BASS & HD SOUND
- ◆ V5.3 BLUETOOTH & TWS CONNECTION
- ◆ 2H PLAY TIME

SPECIFICATION

Model No.: ABTS007

Function: BT/TWS+Hands-Free

Bluetooth Version: V5.3

Material: ABS+Cloth

Battery Capacity: 500mAh

Standby Time: 200 hours

Playing Time: 2 hours

Charging Time: 1 hour

Output Power: 4Ω3W*1

Dimension: 70*70*34mm

Weight: 100g



**5W POWERFUL BASS
AMBIENT LIGHT**

MAIN FEATURE

- ◆ 5W POWER & SUPER BASS HD SOUND
- ◆ 3H PLAY TIME
- ◆ V5.3 BLUETOOTH & RGB AMBIENT LIGHT
- ◆ USB-C CHARGING & TWS PAIRING

SPECIFICATION

Model No.: ABTS008

Function: BT/USB/FM/TWS+RGB

Bluetooth Version: V5.3

Material: ABS+Cloth

Battery Capacity: 800mAh

Standby Time: 250 hours

Playing Time: 3 hour

Charging Time: 1.5 hours

Charging port: USB-C

Output Power: 4Ω5W*1(52mm)

Dimension: 87*98mm

Weight: 296g



**15W SUPER BASS
AMBIENT LIGHT**

MAIN FEATURE

- ◆ 15W HIGH POWER & SUPER BASS HD SOUND
- ◆ 4H PLAY TIME
- ◆ V5.3 BLUETOOTH & RGB AMBIENT LIGHT
- ◆ USB-C CHARGING & PORTABLE LANYARD

SPECIFICATION

Model No.: ABTS009

Function: BT/USB/FM/TWS+RGB

Bluetooth Version: V5.3

Material: ABS+Cloth

Battery Capacity: 1500mAh

Standby Time: 300 hours

Playing Time: 4 hours

Charging Time: 2.5 hours

Output Power: 15W

Charging port: USB-C

Dimension: 135*135*135mm

Weight: 499g



**5W POWERFUL BASS
AMBIENT LIGHT**

MAIN FEATURE

- ◆ 5W POWER & SUPER BASS HD SOUND
- ◆ 4H PLAY TIME
- ◆ V5.0 BLUETOOTH & MULTI-MODE CONNECTION
- ◆ RGB AMBIENT LIGHT & PORTABLE DESIGN

SPECIFICATION

Model No.: ABTS010

Function: BT/TF/AUX/FM/TWS

Bluetooth Version: V5.0

Material: ABS

Battery Capacity: 1200mAh

Standby Time: 300 hours

Playing Time: 4 hours

Charging Time: 2 hours

Output Power: 4Ω5W*1

Dimension: 95*200*52mm



**5W POWERFUL BASS
AMBIENT LIGHT**

MAIN FEATURE

- ◆ 5W POWER & SUPER BASS HD SOUND
- ◆ 4H PLAY TIME
- ◆ V5.0 BLUETOOTH & MULTI-FUNCTION MODES
- ◆ BUILT-IN LIGHT & PORTABLE LANYARD

SPECIFICATION

Model No.: ABTS011

Function: BT/TF/AUX/FM/TWS/Light

Bluetooth Version: V5.0

Material: ABS+PC+Cloth

Battery Capacity: 1200mAh


Standby Time: 300 hours

Playing Time: 4 hours

Charging Time: 2 hours

Output Power: 4Ω5W*1

Dimension: Φ98*165mm



**5W POWERFUL BASS
AMBIENT LIGHT**

MAIN FEATURE

- ◆ 5W POWER & SUPER BASS HD SOUND
- ◆ 4H PLAY TIME
- ◆ V5.4 BLUETOOTH & IPX5 WATERPROOF
- ◆ RGB AMBIENT LIGHT & PORTABLE HANDLE

SPECIFICATION

Model No.: ABTS012

Function: BT/TF/AUX/FM/TWS

Bluetooth Version: V5.0

Material: ABS

Battery Capacity: 1200mAh

Standby Time: 300 hours

Playing Time: 4 hours

Charging Time: 2 hours

Output Power: 4Ω5W*1

Dimension: Φ80*124mm



**3W POWERFUL BASS
CLIP RIDING DESIGN**

MAIN FEATURE

- ◆ 3W POWER & IPX5 WATERPROOF
- ◆ 3H PLAY TIME
- ◆ V5.4 BLUETOOTH & CLIP RIDING DESIGN
- ◆ ULTRA-LIGHT WEIGHT

SPECIFICATION

Model No.: ABTS013

Function: BT/TWS/IPX5

Bluetooth Version: V5.4

Materials: ABS+TPU

Rated Power: RMS 3W

Battery Capacity: 3.7V 500mAh

Standby Time: 200 hours

Playing Time: 3 hours

Charging Time: 1 hour

Charging port: USB-C

Waterproof: IPX5

Size: 71.28*48.13*39.46mm

Weight: 70g



**4W POWERFUL BASS
CLIP RIDING DESIGN**

MAIN FEATURE

- ◆ 4W POWER & IP67 WATERPROOF
- ◆ 3H PLAY TIME
- ◆ V5.3 BLUETOOTH & ENC NOISE CANCELLING
- ◆ CLIP DESIGN & OMNIDIRECTIONAL MIC

SPECIFICATION

Model No.: ABTS014

Function: BT/TWS/ENC/IP67

Bluetooth Version: V5.3

Materials: ABS+TPU

Rated Power: RMS 4W

Battery Capacity: 600mAh

Standby Time: 220 hours

Playing Time: 3 hours

Charging Time: 1.5 hours

Charging Port: USB-C

Microphone: Omnidirectional Mic

Waterproof: IP67

Size: 44*71*35mm



**5W POWERFUL BASS
CLIP RIDING DESIGN**

MAIN FEATURE

- ◆ 5W POWER & IPX7 WATERPROOF
- ◆ 6H PLAY TIME
- ◆ V5.3 BLUETOOTH & ENC NOISE CANCELLING
- ◆ RGB AMBIENT LIGHT & BIKE CLIP DESIGN

SPECIFICATION

Model No.: ABTS015

Function: TWS/TF/RGB/IPX7

Bluetooth Version: V5.3

Material: TPU+ABS+ Wrapping Fabric

Rated Power: 5W

Speaker Specification: 45mm, 40, 4W

Battery Capacity: 18650 3.7V 1800mAh

Standby Time: 300 hours

Playing Time: 6 hours

Charging Time: 3 hours

Frequency Response Range: 80-20kHz

Size: 144.54*79.1*48.57mm

Weight: 280g



**5W POWERFUL BASS
CLIP RIDING DESIGN**

MAIN FEATURE

- ◆ 5W POWER & IPX7 WATERPROOF
- ◆ 6H PLAY TIME
- ◆ V5.3 BLUETOOTH & ENC NOISE CANCELLING
- ◆ RGB AMBIENT LIGHT & BIKE CLIP DESIGN

SPECIFICATION

Model No.: ABTS016

Function: TWS/TF/RGB/IPX7

Bluetooth Version: V5.3

Material: TPU+ABS+ Wrapping Fabric

Rated Power: 5W

Speaker Specification: 45mm, 40, 4W

Battery Capacity: 18650 3.7V 1800mAh

Standby Time: 300 hours

Playing Time: 6 hours

Charging Time: 3 hours

Frequency Response Range: 80-20kHz

Size: 144.54*79.1*48.57mm


Weight: 280g

APACHE

HOLDER & STAND



MAGNETIC PHONE HOLDER



GRAVITY PHONE HOLDER



PHONE & TABLET STAND



VACUUM SUCTION MAGNETIC PHONE HOLDER

MAIN FEATURE

- ◆ VACUUM SUCTION CAR MOUNT DESIGN
- ◆ STRONG MAGNETIC PHONE HOLDER
- ◆ 360° ADJUSTABLE & FOLDABLE STRUCTURE
- ◆ PREMIUM ABS + ZINC ALLOY + ALUMINUM ALLOY

SPECIFICATION

Model No.: ASMG01

Materials: ABS + Zinc Alloy + Aluminum Alloy



MAIN FEATURE

- ◆ STRONG MAGNETIC PHONE HOLDER
- ◆ 360° ADJUSTABLE & FOLDABLE DESIGN
- ◆ PREMIUM AEROSPACE ALLOY CONSTRUCTION
- ◆ COMPACT & STABLE DESKTOP MOUNT

SPECIFICATION

Model No.: ASMG02

Materials: Aerospace Alloy

MAGNETIC PHONE HOLDER



MAIN FEATURE

- ◆ STRONG MAGNETIC PHONE HOLDER
- ◆ 360° ADJUSTABLE & FOLDABLE DESIGN
- ◆ PREMIUM AEROSPACE ALLOY CONSTRUCTION
- ◆ COMPACT & STABLE DESKTOP MOUNT

SPECIFICATION

Model No.: ASMG03

Materials: Aerospace Alloy

MAGNETIC PHONE HOLDER



MAIN FEATURE

- ◆ STRONG MAGNETIC PHONE HOLDER
- ◆ 360° ADJUSTABLE & FOLDABLE DESIGN
- ◆ PREMIUM AEROSPACE ALLOY CONSTRUCTION
- ◆ COMPACT & STABLE DESKTOP MOUNT

SPECIFICATION

Model No.: ASMG04

Materials: Aerospace Alloy

MAGNETIC PHONE HOLDER



AIR VENT MAGNETIC PHONE HOLDER

MAIN FEATURE

- ◆ AIR VENT CLIP CAR MOUNT DESIGN
- ◆ STRONG MAGNETIC PHONE HOLDER
- ◆ PREMIUM AEROSPACE ALLOY CONSTRUCTION

SPECIFICATION

Model No.: ASMG05

Materials: Aerospace Alloy



AIR VENT MAGNETIC PHONE HOLDER

MAIN FEATURE

- ◆ AIR VENT CLIP CAR MOUNT DESIGN
- ◆ STRONG MAGNETIC PHONE HOLDER
- ◆ PREMIUM AEROSPACE ALLOY CONSTRUCTION

SPECIFICATION

Model No.: ASMG06

Materials: Aerospace Alloy



VACUUM SUCTION MAGNETIC PHONE HOLDER

MAIN FEATURE

- ◆ VACUUM SUCTION CAR MOUNT DESIGN
- ◆ STRONG MAGNETIC PHONE HOLDER
- ◆ 360° ADJUSTABLE & FOLDABLE STRUCTURE
- ◆ PREMIUM ABS + AEROSPACE ALLOY

SPECIFICATION

Model No.: ASMG07

Materials: ABS+Aerospace Alloy



AIR VENT GRAVITY PHONE HOLDER

MAIN FEATURE

- ◆ AIR VENT CLIP CAR MOUNT DESIGN
- ◆ ULTRA QUIET DROP-IN GRIP MECHANISM
- ◆ 4-POINT STABLE PHONE HOLDING
- ◆ DURABLE ABS CONSTRUCTION

SPECIFICATION

Model No.: ASC01

Materials: ABS



MAIN FEATURE

- ◆ AIR VENT CLIP CAR MOUNT DESIGN
- ◆ ULTRA QUIET DROP-IN GRIP MECHANISM
- ◆ 4-POINT STABLE PHONE HOLDING
- ◆ DURABLE ABS CONSTRUCTION

SPECIFICATION

Model No.: ASC02

Materials: ABS

**AIR VENT
GRAVITY PHONE HOLDER**



AIR VENT GRAVITY PHONE HOLDER

MAIN FEATURE

- ◆ AIR VENT CLIP CAR MOUNT DESIGN
- ◆ ULTRA QUIET DROP-IN GRIP MECHANISM
- ◆ 3-POINT SECURE PHONE HOLDING
- ◆ PREMIUM SILICONE + ABS + PC CONSTRUCTION

SPECIFICATION

Model No.: ASC03

Materials: Silicone+ABS+PC



AIR VENT GRAVITY PHONE HOLDER

MAIN FEATURE

- ◆ AIR VENT CLIP CAR MOUNT DESIGN
- ◆ ULTRA QUIET DROP-IN GRIP MECHANISM
- ◆ 3-POINT SECURE PHONE HOLDING
- ◆ PREMIUM SILICONE + ABS + PC CONSTRUCTION

SPECIFICATION

Model No.: ASC04

Materials: Silicone+ABS+PC



AIR VENT GRAVITY PHONE HOLDER

MAIN FEATURE

- ◆ AIR VENT CLIP CAR MOUNT DESIGN
- ◆ ULTRA QUIET DROP-IN GRIP MECHANISM
- ◆ 2-POINT SECURE PHONE HOLDING
- ◆ PREMIUM ABS + ALUMINUM ALLOY CONSTRUCTION

SPECIFICATION

Model No.: ASC05

Materials: ABS+Aluminum Alloy



**FOLDABLE & ROTATABLE
FULL ALLOY PHONE STAND**

MAIN FEATURE

- ◆ FULL ALLOY CARBON STEEL CONSTRUCTION
- ◆ 360° ROTATABLE & HEIGHT ADJUSTABLE
- ◆ STABLE DESKTOP PHONE STAND
- ◆ HEAT DISSIPATION FRIENDLY DESIGN

SPECIFICATION

Model No.: AST01

Materials: Carbon Steel



**FOLDABLE & ROTATABLE
FULL ALLOY PHONE STAND**

MAIN FEATURE

- ◆ FULL ALLOY CARBON STEEL CONSTRUCTION
- ◆ 360° ROTATABLE & HEIGHT ADJUSTABLE
- ◆ STABLE DESKTOP PHONE STAND
- ◆ HEAT DISSIPATION FRIENDLY DESIGN

SPECIFICATION

Model No.: AST02

Materials: Aluminum Alloy+Carbon Steel



**FOLDABLE & ROTATABLE
FULL ALLOY PHONE STAND**

MAIN FEATURE

- ◆ FULL ALLOY ALUMINUM + CARBON STEEL
- ◆ 360° ROTATABLE & MULTI-ANGLE ADJUSTABLE
- ◆ STABLE ROUND BASE DESKTOP STAND
- ◆ HEAT DISSIPATION FRIENDLY DESIGN

SPECIFICATION

Model No.: AST03

Materials: Aluminum Alloy+Carbon Steel



**FOLDABLE & ROTATABLE
FULL ALLOY PHONE STAND**

MAIN FEATURE

- ◆ FULL ALLOY BODY CONSTRUCTION
- ◆ 360° ROTATABLE & HEIGHT STRETCHABLE
- ◆ HEAVY-DUTY STABLE BASE
- ◆ MULTI-ANGLE ADJUSTABLE PHONE STAND
- ◆ PREMIUM ABS + ALUMINUM ALLOY + CARBON STEEL

SPECIFICATION

Model No.: AST04

Materials: ABS+Aluminum Alloy+Carbon Steel



**FOLDABLE & ROTATABLE
FULL ALLOY TABLET STAND**

MAIN FEATURE

- ◆ FULL ALLOY BODY CONSTRUCTION
- ◆ 360° ROTATABLE & FOLDABLE DESIGN
- ◆ STABLE DESKTOP TABLET STAND
- ◆ PREMIUM ABS + CARBON STEEL
- ◆ MULTI-ANGLE ADJUSTABLE CLAMP HOLDER

SPECIFICATION

Model No.: AST06

Materials: ABS+Carbon Steel

PACKAGING DESIGN

With extensive experience in packaging design, we possess in-depth expertise in materials, techniques, quality, and structural innovation. We provide tailored packaging solutions for a wide range of product categories, ensuring both functionality and aesthetic appeal.



Window display box



Standard color box



Lid and base gift box



Eco-friendly color box



Clear PVC color box



Kraft color box



Color card packaging



Blister card packaging



Airplane box


BRANDING & DISPLAY

We have a deep understanding of offline retail presentation and visual merchandising. Our team creates practical and visually engaging display fixtures to enhance brand presence at the point of sales.



PROMOTION & MARKETING

We offer a diverse range of promotional and marketing materials to support brand campaigns, helping to amplify visibility and engagement across channels.



APACHE

SHENZHEN APACHE TECHNOLOGY CO.,LTD.

Tel: +86-13510604992 | Email: fifi@ugoteck.com

WeChat



WhatsApp

